

# Figures, Tables, and Listings

Chapter 1	Introduction to the Apple Open Collaboration Environment	1-1
	<b>Figure 1-1</b>	Letter containing an AOCE mailer 1-5
	<b>Figure 1-2</b>	Catalog-item information page 1-6
	<b>Figure 1-3</b>	The components of the AOCE software 1-9
	<b>Figure 1-4</b>	The Catalogs Extension to the Finder in use on a desktop 1-10
	<b>Figure 1-5</b>	An In Tray with certified (that is, authenticated) and uncertified letters 1-17
Chapter 2	AOCE Utilities	2-1
	<b>Table 2-1</b>	AOCE packed data structures and functions used to pack and unpack them 2-6
	<b>Listing 2-1</b>	Unpacking a <code>DSSpec</code> structure 2-7
	<b>Listing 2-2</b>	Validating a <code>PackedPathName</code> structure 2-11
	<b>Table 2-2</b>	AOCE validation functions and associated data structures 2-11
	<b>Table 2-3</b>	AOCE equality functions and associated data structures 2-13
	<b>Listing 2-3</b>	Calling a copy function 2-14
	<b>Table 2-4</b>	AOCE copying and duplicating functions and associated data structures 2-15
	<b>Listing 2-4</b>	Allocating a string to store specialized data 2-16
	<b>Listing 2-5</b>	Allocating and disposing of a maximum-sized <code>RecordID</code> structure 2-17
	<b>Figure 2-1</b>	The Record identifier structure 2-26
Chapter 3	Standard Mail Package	3-1
	<b>Figure 3-1</b>	Mailer in an application window 3-5
	<b>Figure 3-2</b>	Mailer in the contracted state 3-5
	<b>Figure 3-3</b>	Mailer in the expanded state 3-5
	<b>Figure 3-4</b>	Mailer with addressing panel open 3-6
	<b>Figure 3-5</b>	The four versions of the addressing panel 3-6
	<b>Listing 3-1</b>	Testing for the presence of Standard Mail Package services 3-8
	<b>Listing 3-2</b>	Initializing the Standard Mail Package 3-9
	<b>Listing 3-3</b>	Creating a mailer 3-10
	<b>Listing 3-4</b>	Displaying the send-options dialog box 3-11
	<b>Listing 3-5</b>	Performing the send operation 3-12
	<b>Listing 3-6</b>	Adding the letter content 3-13
	<b>Listing 3-7</b>	Adding the application's native-format content 3-14
	<b>Listing 3-8</b>	Adding AppleMail standard interchange-format content 3-15
	<b>Listing 3-9</b>	Adding image-format content 3-16
	<b>Listing 3-10</b>	Apple event handler processing both file and letter specifications 3-17
	<b>Listing 3-11</b>	Opening a letter 3-18
	<b>Listing 3-12</b>	Forwarding a letter 3-19

<b>Listing 3-13</b>	Replying to a letter	3-20
<b>Listing 3-14</b>	Preparing to close a letter	3-20
<b>Listing 3-15</b>	Checking status prior to closing a letter	3-21
<b>Listing 3-16</b>	Closing the letter	3-21
<b>Listing 3-17</b>	Processing events in a mailer window	3-22
<b>Listing 3-18</b>	Handling a mouse click in a mailer window	3-24
<b>Listing 3-19</b>	Supporting the Clipboard in a mailer edit command	3-25
<b>Figure 3-6</b>	Mailer for a forwarded letter	3-50
<b>Figure 3-7</b>	Send-options dialog box	3-75
<b>Figure 3-8</b>	Add Enclosure dialog box	3-121

## Chapter 4

### Standard Catalog Package 4-1

---

<b>Figure 4-1</b>	A Catalog-Browsing panel in an application window	4-4
<b>Figure 4-2</b>	A Find panel in an application window	4-4
<b>Listing 4-1</b>	Testing for the Standard Catalog Package	4-5
<b>Figure 4-3</b>	Authentication dialog box	4-7
<b>Listing 4-2</b>	Getting an authentication identity	4-8
<b>Figure 4-4</b>	A Catalog-Browsing panel	4-9
<b>Listing 4-3</b>	Using the <code>SDPNewPanel</code> function to create a new panel	4-9
<b>Listing 4-4</b>	Handling events in a Catalog-Browsing panel	4-12
<b>Figure 4-5</b>	The Find panel	4-18
<b>Listing 4-5</b>	Creating a Find panel	4-19
<b>Listing 4-6</b>	Disposing of a Find panel	4-20

## Chapter 5

### AOCE Templates 5-1

---

<b>Figure 5-1</b>	The AOCE Catalogs Extension in use	5-6
<b>Figure 5-2</b>	View menu seen with the AOCE Catalogs Extension to the Finder	5-7
<b>Figure 5-3</b>	Information page	5-8
<b>Figure 5-4</b>	Information page with a sublist	5-8
<b>Figure 5-5</b>	Information page for an item in a sublist	5-9
<b>Figure 5-6</b>	From a record to an information page	5-11
<b>Figure 5-7</b>	Creating an aspect from a record	5-16
<b>Figure 5-8</b>	Creating an information page from an aspect	5-17
<b>Figure 5-9</b>	Multiple aspects and information pages	5-18
<b>Figure 5-10</b>	Main aspects for records	5-19
<b>Figure 5-11</b>	Main aspects for attributes	5-20
<b>Figure 5-12</b>	Main aspect templates for records	5-21
<b>Figure 5-13</b>	Main aspect templates for attributes	5-22
<b>Figure 5-14</b>	Providing an information page for an attribute in a sublist	5-23
<b>Figure 5-15</b>	Providing an information page for a record in a dNode window list	5-24
<b>Figure 5-16</b>	Pattern-based attribute parsing	5-25
<b>Figure 5-17</b>	Conditional view	5-26
<b>Listing 5-1</b>	Main aspect template	5-31
<b>Figure 5-18</b>	Catalog window displaying the record type defined by Listing 5-1	5-33
<b>Listing 5-2</b>	Defining properties for a record	5-34

<b>Listing 5-3</b>	A simple information page	5-36
<b>Figure 5-19</b>	Simple information page	5-40
<b>Figure 5-20</b>	Simple information page with a conditional view	5-40
<b>Figure 5-21</b>	Information page with a sublist	5-44
<b>Listing 5-4</b>	An information page with a sublist	5-44
<b>Listing 5-5</b>	Attribute main aspect and information page	5-52
<b>Listing 5-6</b>	Templates for a custom information page	5-58
<b>Figure 5-22</b>	Custom information page	5-65
<b>Figure 5-23</b>	Information page using a code resource	5-65
<b>Listing 5-7</b>	View lists that get values from a code resource	5-66
<b>Listing 5-8</b>	Template code resource	5-68
<b>Table 5-1</b>	Resources in aspect templates	5-78
<b>Table 5-2</b>	Property types	5-85
<b>Table 5-3</b>	Metaproperties	5-86
<b>Table 5-4</b>	Resources used by main aspect templates	5-89
<b>Figure 5-24</b>	Lookup-table format	5-107
<b>Table 5-5</b>	Lookup-table flags	5-109
<b>Listing 5-9</b>	Lookup table with basic elements	5-111
<b>Table 5-6</b>	Basic lookup-table element types	5-111
<b>Table 5-7</b>	Conditional elements for lookup tables	5-112
<b>Listing 5-10</b>	Lookup table with conditional elements	5-113
<b>Listing 5-11</b>	Lookup table with block elements	5-114
<b>Table 5-8</b>	Block elements for lookup tables	5-114
<b>Table 5-9</b>	Lookup-table elements that create patterns of a specific size	5-115
<b>Listing 5-12</b>	Lookup table with size and block elements	5-116
<b>Listing 5-13</b>	Lookup-table entry with a destination property for the 'wsiz' element type	5-117
<b>Table 5-10</b>	Resources in information page templates	5-120
<b>Listing 5-14</b>	Information page signature resource with conditional views	5-122
<b>Listing 5-15</b>	Sample view list	5-130
<b>Listing 5-16</b>	Implementing a conditional view	5-131
<b>Table 5-11</b>	Resources in forwarder templates	5-138
<b>Table 5-12</b>	Resources in killer templates	5-140
<b>Table 5-13</b>	Resources in file type templates	5-141
<b>Table 5-14</b>	Property commands	5-161
<b>Table 5-15</b>	Property-type conversions on requesting a property value	5-214
<b>Table 5-16</b>	Property-type conversions on setting a property value	5-223

## Chapter 6

## Digital Signature Manager 6-1

<b>Figure 6-1</b>	Principles of public-key encryption	6-4
<b>Figure 6-2</b>	The components of a full signature	6-5
<b>Figure 6-3</b>	A certificate set consisting of two signed certificates	6-7
<b>Table 6-1</b>	Conventions governing attributes of a distinguished name	6-9
<b>Figure 6-4</b>	Hierarchically arranged distinguished name	6-11
<b>Table 6-2</b>	Digital Signature Manager tasks and functions	6-12
<b>Listing 6-1</b>	A sample signature-creation routine	6-15
<b>Listing 6-2</b>	A sample signature-verification routine	6-17

<b>Listing 6-3</b>	A sample routine that returns information in a certificate set	6-21
<b>Figure 6-5</b>	The password-prompting dialog box	6-33
<b>Figure 6-6</b>	Show-signer dialog box	6-47

Chapter 7	Interprogram Messaging Manager	7-1
<b>Figure 7-1</b>	Structure of an AOCE message	7-5
<b>Figure 7-2</b>	An AOCE message containing a nested message	7-5
<b>Figure 7-3</b>	Contents of an AOCE message header	7-6
<b>Figure 7-4</b>	An IPM report message	7-10
<b>Figure 7-5</b>	Contents of an <code>OCERecipient</code> structure	7-11
<b>Figure 7-6</b>	The two forms of the message type structure	7-27
<b>Listing 7-1</b>	Calling an MSAM function from assembly language	7-43
<b>Listing 7-2</b>	Calling an MSAM utility function from assembly language	7-108

Chapter 8	Catalog Manager	159
<b>Figure 8-1</b>	Structure of an AOCE catalog	164
<b>Listing 8-1</b>	Listing the attribute values for a catalog	175
<b>Listing 8-2</b>	Listing the attribute types for a catalog	179
<b>Listing 8-3</b>	Getting extended information for a catalog	183

Chapter 9	Authentication Manager	397
<b>Figure 9-1</b>	The authentication process	9-402
<b>Listing 9-1</b>	Using the notification queue	9-411

Appendix A	PowerTalk Built-in Templates	A-1
<b>Table A-1</b>	Names of AOCE templates for User records	A-3