

Index

A

absolute location for a shape 6-24, 6-67
accelerator memory 2-16
add mode
 defined 5-14
 examples of using 5-44, 5-47
 for calculating alpha-channel values 5-24
alignment
 as style object property 3-5
alpha-channel color spaces 4-24
alpha channels 4-24, 5-20
alpha-channel transfer modes 5-20 to 5-25, 5-48 to 5-49
 . *See also* atop mode, exclude mode, fade mode, over mode
AND mode 5-17
angle
 of a halftone 7-14
 of a halftone on a device 7-83
anti-aliasing 5-24 to 5-25, 5-49
application heap 1-18
arithmetic transfer modes 5-12 to 5-15
 . *See also* add mode, blend mode, copy mode, migrate mode, maximum mode, minimum mode, no mode
atop mode 5-22
attributes
 as ink object properties. *See* ink attributes
 as shape object property. *See* shape attributes
 as style object property. *See* style attributes, style text attributes
 as view device property. *See* view device attributes
 as view port property. *See* view port attributes
 defined 1-16

B

background color, for a halftone 7-17
base families for color spaces 4-6
bitmaps
 and ink objects 5-11
 as view device property 7-25, 7-26 to 7-27, 7-55, 7-107 to 7-108
 color spaces for 4-23
bitmap shapes 2-10
 defined 1-11
bitmap structure 7-26

black generation 4-14, 4-29
blend mode
 defined 5-14
 examples of using 5-15, 5-44, 5-45, 5-48
Boolean transfer modes 5-16 to 5-18
 . *See also* AND mode, OR mode, XOR mode

C

caches for shapes 2-16
cap
 as style object property 3-4
child view port list
 as view port property 7-9, 7-18 to 7-19
 functions for 7-86 to 7-87
 setting up 7-46 to 7-47
chromaticities. *See* profile chromaticities
chromaticity 4-16
clamping. *See* pinning
clipping 1-25
clips 1-25
 and drawing 7-30 to 7-39
 and primitive shapes 2-33, 6-7
 as transform object property. *See* transform clip
 as view device property. *See* view device clip
 as view port property. *See* view port clip
cloning objects 1-20 to 1-21
 . *See also* kinds of *under* objects 1-3
closed-frame fill 2-13
CMProfile structure 4-36
CMYK space 4-14 to 4-15
Collection Manager 1-15
collection objects 1-34
 defined 1-15
color components 4-6, 4-25
color-component value 4-25, 4-50
color conversion 4-26 to 4-30, 4-41 to 4-42, 4-60
colorimetric matching 4-30
color limits for transfer modes 5-27 to 5-33, 5-47 to 5-48, 5-54
 destination 5-32, 5-54
 result 5-32 to 5-33, 5-54
 source 5-31, 5-54
color matching 4-26 to 4-32, 4-41 to 4-42, 7-20
 and ColorSync Utilities 4-31, 4-32, 4-42
color-matching methods 4-28, 4-30 to 4-31
color packing 4-6, 4-54

- color profile objects 4-28 to 4-30, 4-35 to 4-38, 4-41 to 4-49, 4-78 to 4-93
 - . *See also* color profiles
 - and ColorSync Utilities 4-30, 4-36 to 4-37, 4-48
 - assigning to colors 4-39
 - constants and data types for 4-57
 - copying, comparing, and cloning 4-44 to 4-45, 4-81 to 4-83
 - creating and disposing of 4-42 to 4-44, 4-79 to 4-81
 - default 4-37
 - defined 1-13, 4-57
 - functions for 4-78 to 4-93
 - loading and unloading 4-45 to 4-46
 - locking and unlocking 4-49, 4-90 to 4-93
 - manipulating profile data in 4-48 to 4-49, 4-88 to 4-93
 - manipulating properties of 4-46 to 4-49, 4-84 to 4-87
 - properties of. *See* color profile properties
 - zero-length profiles 4-37 to 4-38
- color profile properties 4-36 to 4-37, 4-84 to 4-87
 - default values for 4-37
 - owner count 4-36, 4-46, 4-84
 - profile data 4-36, 4-36 to 4-37, 4-48 to 4-49, 4-88 to 4-93
 - tag list 4-36, 4-47, 4-85 to 4-87
- color profiles 4-28
 - . *See also* color profile objects
- colors 4-5 to 4-32, 4-38 to 4-42, 4-57 to 4-61
 - . *See also* color profile objects, color spaces, color set objects, color structure
 - as ink object property 5-6, 5-7 to 5-8
 - assigning 4-38 to 4-39
 - color-component value 4-25, 4-50
 - color value 4-25, 4-50 to 4-52
 - comparing and testing 4-40 to 4-41
 - constants and data types for 4-50 to 4-56
 - converting 4-26 to 4-30, 4-31 to 4-32, 4-41 to 4-42, 4-60
 - functions for 4-57 to 4-61, 5-68 to 5-72
 - getting, for a shape on a device 7-119 to 7-120
 - getting and setting 5-42
 - in a color set 4-47 to 4-48, 4-56
 - matching 4-26 to 4-32, 4-41 to 4-42, 7-20
 - out of gamut 4-27, 4-40
- color separations 5-49
- color set objects 4-32 to 4-35, 4-42 to 4-49, 4-62 to 4-77
 - colors in 4-56
 - constants and data types for 4-56 to 4-57
 - copying, comparing, and cloning 4-44 to 4-45, 4-66 to 4-68
 - creating and disposing of 4-42 to 4-44, 4-64 to 4-65
 - default 4-34 to 4-35
 - defined 1-13, 4-56
 - functions for 4-62 to 4-77
 - loading and unloading 4-45 to 4-46
 - manipulating properties of 4-46 to 4-48, 4-69 to 4-73
 - manipulating the colors in 4-47 to 4-48, 4-73 to 4-77
 - properties of. *See* color set properties
- color set properties 4-33 to 4-34
 - color space 4-33
 - color-value array 4-33, 4-34, 4-47 to 4-48, 4-73 to 4-77
 - default values for 4-34 to 4-35
 - owner count 4-33, 4-46, 4-69
 - tag list 4-33, 4-47, 4-70 to 4-73
- color spaces 4-6 to 4-24, 4-55 to 4-56
 - . *See also* colors
 - alpha-channel 4-24
 - as color set property 4-33
 - base families for 4-6
 - CMYK 4-14 to 4-15
 - for bitmaps 4-23
 - for transfer modes 5-25 to 5-27
 - HLS 4-11 to 4-13
 - HSV 4-11 to 4-13
 - indexed 4-22 to 4-23
 - L*a*b* 4-17 to 4-18, 4-18 to 4-19
 - L*u*v* 4-17 to 4-18, 4-18 to 4-19
 - luminance 4-7 to 4-9
 - NTSC 4-20 to 4-22
 - PAL 4-20 to 4-22
 - RGB 4-9 to 4-11
 - XYZ 4-16, 4-18 to 4-19
 - YIQ 4-20 to 4-22
 - Yxy 4-16 to 4-17, 4-18 to 4-19
- color structure 4-26, 4-53, 5-7 to 5-8, 5-51
- ColorSync Utilities
 - and color matching 4-31, 4-32, 4-42
 - and color profiles 4-30, 4-36 to 4-37, 4-48
 - and the default color profile 4-37
- color-value array, as color set property 4-33, 4-34
- color values 4-25, 4-50, 4-52
- Commission Internationale d'Eclairage (CIE) 4-15
- component modes 5-11 to 5-25
 - . *See also* transfer modes
 - alpha-channel 5-20 to 5-25, 5-48 to 5-49
 - atop mode 5-22
 - exclude mode 5-22
 - fade mode 5-22
 - over mode 5-22, 5-48
- arithmetic 5-12 to 5-15
 - add mode. *See* add mode
 - blend mode. *See* blend mode
 - copy mode. *See* copy mode
 - maximum mode 5-14, 5-45, 5-46
 - migrate mode 5-14, 5-44, 5-48
 - minimum mode 5-14, 5-45, 5-46
 - no mode. *See* no mode
- Boolean 5-16 to 5-18
 - AND mode 5-17
 - OR mode 5-17, 5-45, 5-46
 - XOR mode 5-17, 5-45, 5-46

- defined 5-9, 5-11, 5-55
- highlight mode 5-15 to 5-16, 7-13
- pseudo-Boolean 5-18 to 5-19
 - ramp-AND mode 5-19, 5-45
 - ramp-OR mode. *See* ramp-OR mode
 - ramp-XOR mode. *See* ramp-XOR mode
- components. *See* color components
- concatenation of mappings 6-26, 7-30, 7-45
- constructive geometry operations
 - on transform clips 6-21 to 6-23, 6-48 to 6-53
- conventions and consistencies in programming 1-41 to 1-44
- coordinates and coordinate spaces 1-28 to 1-32, 7-31 to 7-39
 - device space 1-31 to 1-32, 7-38 to 7-39
 - geometry space 1-29, 7-32
 - global space 1-30 to 1-31, 7-34 to 7-37
 - local space 1-29 to 1-30, 7-33 to 7-34
- copy mode
 - and printing 5-50
 - as default 5-12
 - defined 5-14
 - examples of using 5-44, 5-45, 5-46, 5-47
- creating objects 1-9
 - . *See also* kinds of *under* objects
- curve error
 - as style object property 3-4
- curve shapes 1-11, 2-9

D

- dash
 - as style object property 3-4
- debugging 1-39 to 1-40
 - debugging version of QuickDraw GX 1-39
 - with GraphicsBug 1-40
- deep copying 2-25, 2-58
- default objects 1-17
- desktop printer 1-35
- despooling 1-34
- destination color 4-24, 5-11
- destination color limits 5-32, 5-54
- device angle, of a halftone 7-83
- device matrix 5-8, 5-33 to 5-34
- device space 1-31 to 1-32, 7-38 to 7-39
 - measuring a shape in 7-59 to 7-60, 7-116 to 7-118
- dialog boxes, for printing 1-35
 - adding panels to 1-36
 - printing status dialog box 1-37
- direct memory 2-16
- direct-mode printing 1-37
- disposing of objects 1-9
 - . *See also* kinds of *under* objects

- dither
 - ink attributes and 5-9 to 5-10
- dithering 5-9, 7-10
 - for bitmaps 7-12 to 7-13
 - for shapes other than bitmaps 7-11 to 7-12
- dither level. *See* dithers
- dithers
 - as view port property 7-8
 - characteristics of 7-10 to 7-13
 - forced 5-9, 7-12
 - functions for 7-80 to 7-81
 - manipulating 7-42 to 7-43
 - maximum supported level 7-11
 - patterns for 7-11
- dot color, for a halftone 7-17
- dot type, for a halftone 7-15 to 7-16, 7-66
- drawing
 - and coordinate spaces 1-28 to 1-32, 7-31 to 7-39
 - and shape caches 2-16
 - basic operation of 1-24 to 1-28, 2-20, 2-35, 7-30
 - functions for 2-84 to 2-85
 - offscreen 7-29 to 7-30, 7-62 to 7-63
- drivers, printer 1-35

E

- empty shapes 1-11, 2-9
- encoding
 - as style object property 3-5
- environment (Macintosh). *See* Macintosh environment
- environment (programming). *See* programming environment
- error diffusion 7-12
 - . *See also* dithering
- error handling 1-38 to 1-39
- errors
 - defined 1-38
 - handlers for 1-39
 - posting 1-39
- even-odd fill 2-14
- exclude mode 5-22
- exclusive-OR mode. *See* XOR mode
- extensions, printing 1-35

F

- fade mode 5-22
- ff macro 2-26
- fill. *See* shape fills
- flatten flags 2-48
- flattening 1-23, 2-22, 2-39 to 2-42

- constants and data types for 2-48 to 2-50
- functions for 2-87 to 2-92
- font
 - as style object property 3-5
- font objects
 - defined 1-14
- font variations
 - as style object property 3-5
- format objects
 - defined 1-15
- framed fill. *See* open-frame fill
- frequency, of a halftone 7-14 to 7-15
- full shapes 1-11, 2-11

GA—GW

- gamuts 4-27
- geometric operations. *See* constructive geometry
 - operations
- geometric shapes
 - . *See also* point shapes, line shapes, rectangle shapes, curve shapes, polygon shapes, path shapes, empty shapes, full shapes
 - defined 1-11
- geometry. *See* shape geometry
- geometry space 1-29, 7-32
- global mapping, of a view port 7-79
- global space 1-30 to 1-31, 7-34 to 7-37
 - measuring a shape in 7-63 to 7-65, 7-125 to 7-126
- glyph justification overrides array
 - as style object property 3-5
- glyph shapes 2-10
 - defined 1-11
 - local space for 7-34
- glyph substitutions array
 - as style object property 3-5
- graphics 1-4
- GraphicsBug 1-40
- graphics client heap 1-18
- graphics client objects
 - defined 1-14, 1-38
- graphic shapes
 - . *See also* geometric shapes, bitmap shapes, picture shapes
 - defined 1-11
- grouping shapes 2-17

GXA

- gxAddMode transfer mode 5-14
- gxAllViewDevices view group 7-30

- gxAndMode transfer mode 5-17
- gxAnyNumber constant 1-43
- gxARGB32Space color space 4-10
- gxAtopMode transfer mode 5-22

GXB

- gxBlendMode transfer mode 5-14

GXC

- gxCachedShape shape attribute 2-27
- GXCacheShape function 2-27, 2-62
- GXChangedShape function 2-34 to 2-35, 2-83
- GXCheckColor function 4-40, 4-57
- GXCloneColorProfile function 4-83
- GXCloneColorSet function 4-45, 4-68
- GXCloneInk function 5-59
- GXCloneShape function 2-26, 2-61
- GXCloneStyle function 3-9, 3-13, 3-20
- GXCloneTag function 8-17
- GXCloneTransform function 6-17, 6-37
- gxCMYK32Space color space 4-15
- gxCMYKColor structure 4-50
- gxCMYKSpace color space 4-15
- gxColorIndex structure 4-52
- gxColorPackingTypes enumeration 4-54
- gxColorProfile type 4-57
- gxColorSet type 4-56
- gxColorSpaces enumeration 4-55
- gxColor structure 4-53, 5-51
- gxColorValue1 constant 1-43
- gxColorValue type 4-50
- GXCombineColor function 4-41, 4-59
- gxComponentFlags enumeration 5-55
- gxComponentModes enumeration 5-55
- GXConvertColor function 4-40, 4-41, 4-48, 4-60
- GXCopyDeepToShape function 2-25 to 2-26, 2-58
- gxCopyMode transfer mode 5-14
- GXCopyToColorProfile function 4-81
- GXCopyToColorSet function 4-66
- GXCopyToInk function 5-39, 5-58
- GXCopyToShape function 2-25 to 2-26, 2-57
- GXCopyToStyle function 3-8, 3-18
- GXCopyToTag function 8-15
- GXCopyToTransform function 6-17, 6-35
- GXCopyToViewDevice function 7-100
- GXCopyToViewPort function 7-44, 7-72

GXD

gxDeviceAttributes enumeration 7-68
 gxDeviceAttribute type 7-68
 GXDifferenceTransform function 6-21 to 6-23, 6-51
 gxDirectShape shape attribute 2-34
 GXDisposeColorProfile function 4-80
 GXDisposeColorSet function 4-43, 4-65
 GXDisposeInk function 5-38, 5-57
 GXDisposeShapeCache function 2-27, 2-63
 GXDisposeShape function 2-25, 2-55
 GXDisposeStyle function 3-7, 3-17
 GXDisposeTag function 8-8, 8-14
 GXDisposeTransform function 6-16, 6-34
 GXDisposeViewDevice function 7-53, 7-99
 GXDisposeViewGroup function 7-63, 7-122
 GXDisposeViewPort function 7-41, 7-71
 gxDotTypes enumeration 7-66
 gxDotType type 7-66
 GXDrawShape function 2-35, 2-84

GXE

gxEnableMatchPort attribute 7-20
 GXEqualColorProfile function 4-82
 GXEqualColorSet function 4-67
 GXEqualInk function 5-59
 GXEqualShape function 2-26, 2-60
 GXEqualStyle function 3-9, 3-19
 GXEqualTag function 8-16
 GXEqualTransform function 6-36
 GXEqualViewDevice function 7-101
 GXEqualViewPort function 7-73
 gxExcludeMode transfer mode 5-22
 GXExcludeTransform function 6-21 to 6-23, 6-53

GXF

gxFadeMode transfer mode 5-22
 gxFlattenFlags enumeration 2-48
 gxFlattenFlag type 2-48
 GXFlattenShape function 2-39, 2-88
 gxForceDitherInk attribute 7-12

GXG

GXGetColorDistance function 4-40, 4-58
 GXGetColorProfile function 4-88
 GXGetColorProfileOwners function 4-46, 4-84

GXGetColorProfileStructure function 4-92
 GXGetColorProfileTags function 4-85
 GXGetColorSet function 4-48, 4-73
 GXGetColorSetOwners function 4-46, 4-69
 GXGetColorSetParts function 4-75
 GXGetColorSetTags function 4-70
 GXGetDefaultColorProfile function 4-78
 GXGetDefaultColorSet function 4-62
 GXGetDefaultShape function 2-23, 2-52
 GXGetHalftoneDeviceAngle function 7-83
 GXGetInkAttributes function 5-40, 5-61
 GXGetInkColor function 5-42, 5-68
 GXGetInkOwners function 5-41, 5-64
 GXGetInkTags function 5-41, 5-65
 GXGetInkTransfer function 5-43, 5-72
 GXGetShapeAttributes function 2-29, 2-74
 GXGetShapeCacheSize function 2-27, 2-64
 GXGetShapeClip function 6-45
 GXGetShapeColor function 5-70
 GXGetShapeDeviceArea function 7-118
 GXGetShapeDeviceBounds function 7-59, 7-116
 GXGetShapeDeviceColors function 7-119
 GXGetShapeFill function 2-28, 2-68
 GXGetShapeGlobalBounds function 7-64, 7-125
 GXGetShapeGlobalViewDevices function 7-58, 7-61, 7-115
 GXGetShapeGlobalViewPorts function 7-95
 GXGetShapeHitTest function 6-80
 GXGetShapeInkAttributes function 5-62
 GXGetShapeInk function 2-30, 2-71
 GXGetShapeLocalBounds function 7-51, 7-96
 GXGetShapeMapping function 6-56
 GXGetShapeOwners function 2-32, 2-76
 GXGetShapeSize function 2-25, 2-56
 GXGetShapeStructure function 2-34 to 2-35, 2-82
 GXGetShapeStyle function 2-30 to 2-31, 2-69
 GXGetShapeTags function 2-32, 2-77, 8-10
 GXGetShapeTransfer function 5-74
 GXGetShapeTransform function 2-30, 2-72
 GXGetShapeType function 2-28, 2-32, 2-66
 GXGetShapeViewPorts function 6-75
 GXGetStyleOwners function 3-11, 3-22
 GXGetStyleTags function 3-14, 3-22
 GXGetTag function 8-10, 8-18
 GXGetTagOwners function 8-20
 GXGetTagStructure function 8-23
 GXGetTransformClip function 6-43
 GXGetTransformHitTest function 6-78
 GXGetTransformMapping function 6-54
 GXGetTransformOwners function 6-39
 GXGetTransformTags function 6-20, 6-40
 GXGetTransformViewPorts function 6-29, 6-73
 GXGetViewDeviceAttributes function 7-110
 GXGetViewDeviceBitmap function 7-55, 7-63, 7-107
 GXGetViewDeviceClip function 7-102

GXGetViewDeviceMapping function 7-57, 7-105
 GXGetViewDeviceTags function 7-112
 GXGetViewDeviceViewGroup function 7-109
 GXGetViewGroupViewDevices function 7-54, 7-124
 GXGetViewGroupViewPorts function 7-44, 7-123
 GXGetViewPortAttributes function 7-89
 GXGetViewPortChildren function 7-86
 GXGetViewPortClip function 7-45, 7-74
 GXGetViewPortDither function 7-61, 7-80
 GXGetViewPortGlobalMapping function 7-57, 7-79
 GXGetViewPortHalftone function 7-81
 GXGetViewPortMapping function 7-45, 7-48, 7-77
 GXGetViewPortParent function 7-84
 GXGetViewPortTags function 7-91
 GXGetViewPortViewDevices function 7-50, 7-94
 GXGetViewPortViewGroup function 7-88
 gxGrayAColor structure 4-52
 gxGrayASpace color space 4-8
 gxGraySpace color space 4-8

GXH

gxHalftone structure 7-65
 gxHighlightMode transfer mode 5-16
 GXHitTestDevice function 7-60, 7-120
 gxHitTestInfo structure 2-50
 GXHitTestShape function 2-38, 2-86
 gxHLS32Space color space 4-13
 gxHLSColor structure 4-51
 gxHLSpace color space 4-13
 gxHSV32Space color space 4-13
 gxHSVColor structure 4-51
 gxHSVSpace color space 4-13

GXI—GXK

gxIndexedSpace color space 4-23
 gxInkAttributes enumeration 5-51
 gxInk type 5-50
 GXIntersectTransform function 6-21 to 6-23, 6-50

GXL

gxLAB32Space color space 4-19
 gxLABColor structure 4-52
 gxLABSpace color space 4-19
 GXLoadInk function 5-40
 GXLoadShape function 2-27
 GXLoadStyle function 3-10

GXLoadTransform function 6-18
 GXLockColorProfile function 4-90
 GXLockShape function 2-34 to 2-35, 2-80
 GXLockTag function 8-21
 gxLUV32Space color space 4-19
 gxLUVColor structure 4-52
 gxLUVSpace color space 4-19

GXM

GXMapShape function 6-72
 GXMapTransform function 6-64
 gxMapTransformShape attribute 2-17, 6-25, 6-26
 gxMaximumMode transfer mode 5-14
 gxMigrateMode transfer mode 5-14
 gxMinimumMode transfer mode 5-14
 GXMoveShape function 6-66
 GXMoveShapeTo function 6-27, 6-67
 GXMoveTransform function 6-58
 GXMoveTransformTo function 6-24, 6-59

GXN

GXNewColorProfile function 4-79
 GXNewColorSet function 4-43, 4-64
 GXNewInk function 5-38, 5-56
 GXNewShape function 2-24, 2-54
 GXNewStyle function 3-7, 3-17
 GXNewTag function 8-8, 8-13
 GXNewTransform function 6-16, 6-33
 GXNewViewDevice function 7-53, 7-63, 7-98
 GXNewViewGroup function 7-61, 7-63, 7-122
 GXNewViewPort function 7-41, 7-47, 7-63, 7-70
 GXNewWindowViewPort function 7-40, 7-41
 gxNoAttributes constant 1-43
 gxNoMode transfer mode 5-14
 gxNTSC32Space color space 4-21
 gxNTSCSpace color space 4-21

GXO

gxOrMode transfer mode 5-17
 gxOverMode transfer mode 5-22

GXP, GXQ

gxPAL32Space color space 4-21
 gxPALSpace color space 4-21

gxPortAttributes enumeration 7-68
 gxPortAttribute type 7-68

GXR

gxRampAndMode transfer mode 5-19
 gxRampOrMode transfer mode 5-19
 gxRampXorMode transfer mode 5-19
 GXResetInk function 5-60
 GXResetShape function 2-31, 2-75
 GXResetStyle function 3-11, 3-21
 GXResetTransform function 6-20, 6-38
 GXReverseDifferenceTransform function 6-21 to 6-23, 6-52
 gxRGB16Space color space 4-10
 gxRGB32Space color space 4-10
 gxRGBAColor structure 4-51
 gxRGBASpace color space 4-10
 gxRGBColor structure 4-50
 gxRGBSpace color space 4-10
 GXRotateShape function 6-27, 6-70
 GXRotateTransform function 6-25, 6-62

GXS

GXScaleShape function 6-26, 6-27, 6-68
 GXScaleTransform function 6-17, 6-25, 6-60
 gxSelectToEnd constant 1-43
 GXSetColorProfile function 4-89
 GXSetColorProfileTags function 4-86
 GXSetColorSet function 4-48, 4-74
 GXSetColorSetParts function 4-76
 GXSetColorSetTags function 4-71
 gxSetColor union 4-56
 GXSetDefaultColorSet function 4-43, 4-63
 GXSetDefaultShape function 2-23, 2-53
 GXSetInkAttributes function 5-40, 5-62
 GXSetInkColor function 5-42, 5-69
 GXSetInkTags function 5-41, 5-66
 GXSetInkTransfer function 5-43, 5-73
 GXSetShapeAttributes function 2-29, 2-74
 GXSetShapeClip function 6-46
 GXSetShapeColor function 5-42, 5-71
 GXSetShapeFill function 2-28, 2-69
 GXSetShapeGeometry function 2-30, 2-67
 GXSetShapeHitTest function 6-30, 6-81
 GXSetShapeInkAttributes function 5-63
 GXSetShapeInk function 2-30, 2-71
 GXSetShapeMapping function 6-57
 GXSetShapeStyle function 2-30, 2-70
 GXSetShapeTags function 2-32, 2-78, 8-8

GXSetShapeTransfer function 5-43, 5-75
 GXSetShapeTransform function 2-30, 2-73
 GXSetShapeType function 2-32 to 2-33, 2-66
 GXSetShapeViewPorts function 6-76
 GXSetStyleTags function 3-14, 3-24
 GXSetTag function 8-19
 gxSetToNil constant 1-43
 GXSetTransformClip function 6-23, 6-44
 GXSetTransformHitTest function 6-79
 GXSetTransformMapping function 6-55
 GXSetTransformTags function 6-20, 6-41
 GXSetTransformViewPorts function 6-29, 6-74
 GXSetViewDeviceAttributes function 7-111
 GXSetViewDeviceBitmap function 7-55, 7-108
 GXSetViewDeviceClip function 7-103
 GXSetViewDeviceMapping function 7-57, 7-106
 GXSetViewDeviceTags function 7-113
 GXSetViewDeviceViewGroup function 7-54, 7-109
 GXSetViewPortAttributes function 7-42, 7-90
 GXSetViewPortChildren function 7-87
 GXSetViewPortClip function 7-46, 7-47, 7-75
 GXSetViewPortDither function 7-42, 7-61, 7-80
 GXSetViewPortHalftone function 7-43, 7-82
 GXSetViewPortMapping function 7-45, 7-47, 7-78
 GXSetViewPortParent function 7-47, 7-84
 GXSetViewPortTags function 7-92
 GXSetViewPortViewGroup function 7-44, 7-88
 gxShapeAttributes enumeration 2-47
 gxShapeAttribute type 2-47
 gxShapeFills enumeration 2-47
 gxShapeFill type 2-47
 gxShapeParts enumeration 6-32
 gxShapePart type 6-32
 gxShape type 2-46
 gxShapeTypes enumeration 2-46
 gxShapeType type 2-46
 GXSkewShape function 6-26, 6-27, 6-71
 GXSkewTransform function 6-25, 6-63
 gxSpoolBlock structure 2-49
 gxSpoolProcPtr type 2-49
 gxStyle type 3-16

GXT

gxTag data type 8-13
 gxTintTypes enumeration 7-67
 gxTintType type 7-67
 gxTransferComponent structure 5-53
 gxTransferFlags enumeration 5-53
 gxTransferMode structure 5-52
 gxTransform type 6-31

GXU

GXUnflattenShape function 2-40 to 2-42, 2-90
 GXUnionTransform function 6-23, 6-49
 GXUnloadInk function 5-40
 GXUnloadShape function 2-27
 GXUnloadStyle function 3-10
 GXUnloadTransform function 6-18
 GXUnlockColorProfile function 4-91
 GXUnlockShape function 2-34 to 2-35, 2-81
 GXUnlockTag function 8-22

GXV, GXW

gxViewDevice type 7-68
 gxViewGroup type 7-69
 gxViewPort type 7-65

GXX

gxXorMode transfer mode 5-17
 gxXYZ32Space color space 4-19
 gxXYZColor structure 4-51
 gxXYZSpace color space 4-19

GXY, GXZ

gxYIQ32Space color space 4-21
 gxYIQColor structure 4-52
 gxYIQSpace color space 4-21
 gxYXY32Space color space 4-19
 gxYXYColor structure 4-51
 gxYXYSpace color space 4-19

H

hairlines 6-8, 6-21
 halftones
 angle 7-14
 as view port property 7-8
 background color 7-17
 characteristics of 7-13 to 7-17
 constants and data types for 7-65 to 7-67
 device angle 7-83
 dot color 7-17
 dot type 7-15 to 7-16, 7-66
 frequency 7-14 to 7-15

functions for 7-81 to 7-83
 ink attributes and 5-10
 manipulating 7-42 to 7-43
 tint and tint color 7-16 to 7-17
 tint space 7-17
 tint types 7-16 to 7-17, 7-67
 halftone structure 7-14, 7-65 to 7-66
 halftoning 5-9, 7-13
 handlers for errors, warnings, or notices 1-39
 hierarchies of view ports 7-18 to 7-19, 7-21 to 7-23,
 7-46 to 7-47
 highlight transfer mode 5-15 to 5-16, 7-13
 hit point 1-32
 hit-test info structure 2-36, 2-37 to 2-38, 2-50 to 2-51
 hit-testing
 basic operation of 1-32 to 1-34, 2-20 to 2-21, 2-36 to
 2-38
 constants and data types for 2-50 to 2-51
 functions for 2-36, 2-86 to 2-87
 hit-test info structure 2-36, 2-37 to 2-38, 2-50 to 2-51
 of a shape on a device 7-60, 7-120 to 7-121
 parameters for. *See* hit-test parameters
 hit-test parameters 2-36
 as transform object property 6-6, 6-11 to 6-14
 getting and setting 6-77 to 6-81
 setting up 6-14, 6-30 to 6-31
 shape parts 1-32, 2-20 to 2-21
 shape parts mask 2-36 to 2-37, 6-12 to 6-13
 tolerance 1-32, 2-21, 6-13
 HLS space 4-11 to 4-13
 hollow fill. *See* closed-frame fill
 HSV space 4-11 to 4-13
 hue 4-12

I

identity mapping 1-32, 6-10
 ignoring warnings or notices 1-39
 implementation limits 1-43
 indexed color spaces 4-22 to 4-23
 ink attributes
 as ink object property 5-6
 list of 5-9 to 5-10, 5-51
 manipulating 5-40 to 5-41, 5-61 to 5-64
 ink object properties 5-6 to 5-10
 attributes. *See* ink attributes
 color. *See* colors
 default values for 5-10, 5-60
 owner count 5-6, 5-41, 5-64
 tag list 5-6, 5-41, 5-65 to 5-67
 transfer mode. *See* transfer modes, component modes
 ink objects 5-5 to 5-80
 as shape object property 2-8, 2-30 to 2-31, 2-71 to 2-72

constants and data types for 5-50 to 5-56
 copying, comparing, and cloning 5-39 to 5-40, 5-58 to 5-60
 creating and disposing of 5-38 to 5-39, 5-56 to 5-57
 default 5-10
 defined 1-12, 5-50
 functions for 5-56 to 5-76
 loading and unloading 5-40
 manipulating properties of 5-40 to 5-41, 5-61 to 5-67
 manipulating the color of 5-42, 5-68 to 5-72
 manipulating the transfer mode of 5-43, 5-72 to 5-76
 properties of. *See* ink object properties
 resetting default properties 5-60
 inverse even-odd fill 2-14
 inverse fill. *See* inverse even-odd fill
 inverse solid fill. *See* inverse even-odd fill
 inverse winding fill 2-14

J

job objects
 defined 1-14
 join
 as style object property 3-4

K

kerneling adjustments array
 as style object property 3-5

L

$L^*a^*b^*$ space 4-17 to 4-18, 4-18 to 4-19
 $L^*u^*v^*$ space 4-17 to 4-18, 4-18 to 4-19
 layout shapes 2-10
 defined 1-11
 lightness, in HLS space 4-12
 line shapes 1-11, 2-9
 local space 1-29 to 1-30, 7-33 to 7-34
 measuring a shape in 7-51 to 7-52, 7-96 to 7-97
 locking
 color profiles 4-49, 4-90
 shapes 2-17, 2-80
 tag objects 8-11 to 8-12, 8-21
 luminance 4-7, 5-47
 luminance-based color spaces 4-7 to 4-9

M

Macintosh environment and QuickDraw GX 1-44 to 1-45
 mappings 1-24 to 1-25, 6-10 to 6-11
 and drawing 7-30 to 7-39
 as transform object property. *See* transform mapping
 as view device property. *See* view device mapping
 as view port property. *See* view port mapping
 changing perspective with 6-10
 concatenating 6-26, 7-30, 7-45
 identity 1-32, 6-10
 rotation with 6-10
 scaling with 6-10
 skewing with 6-10
 translation with 6-10
 map-transform shape attribute. *See* `gxMapTransformShape`
 matrices for transfer modes 5-33 to 5-34, 5-47 to 5-48
 matrices. *See* mappings
 maximum mode 5-14, 5-45, 5-46
 memory
 and objects 1-18 to 1-23
 application heap 1-18
 direct vs. remote (accelerator) 2-16
 graphics client heap 1-18
 memory management 1-18 to 1-19, 1-38
 migrate mode 5-14, 5-44, 5-48
 minimum mode 5-14, 5-45, 5-46
 moving a shape. *See* translation operations
 MySpoolProc application-defined function 2-91

N

no fill (shape fill) 2-13
 no mode
 defined 5-14
 examples of using 5-47, 5-49
 for calculating alpha-channel values 5-24
 non-debugging version of QuickDraw GX 1-39
 notices
 defined 1-38
 handlers for 1-39
 ignoring 1-39
 posting 1-39
 NTSC space 4-20 to 4-22

O

object properties 1-15 to 1-17
 attributes 1-16

- default 1-17
- defined 1-8, 2-6
- owner count 1-16, 1-20
- references 1-16
- tag list 1-17
- object references 1-16, 1-19 to 1-20
 - defined 1-8
- objects 1-7 to 1-49
 - . *See also* collection objects
 - and memory 1-18 to 1-23
 - cloning 1-20 to 1-21
 - creating 1-9
 - default 1-17
 - defined 1-8
 - disposing of 1-9
 - flattening 1-23
 - kinds of. *See* color profile objects, color set objects, font objects, graphics client objects, ink objects, printing objects
 - kinds of. *See* shape objects, style objects, tag objects, transform objects, view device objects, view group objects, view port objects
 - loading and unloading 1-21 to 1-22
 - locking and unlocking 1-22
 - properties 1-15 to 1-17
 - references to 1-19 to 1-20
 - sharing 1-19 to 1-20
 - summary diagram of 1-49
 - unflattening 1-23
- object sharing 1-19 to 1-20
- offscreen drawing 7-29 to 7-30, 7-62 to 7-63
- offscreen view groups 7-29 to 7-30, 7-62 to 7-63
- onscreen view group 7-7, 7-29 to 7-30
- open-frame fill 2-13
- operand 5-12
- OR mode 5-17, 5-45, 5-46
- out-of-gamut colors 4-27, 4-40
- over mode 5-22, 5-48
- owner count 1-20
 - as color profile property 4-36, 4-46, 4-84
 - as color set property 4-33, 4-46, 4-69
 - as ink object property 5-6, 5-41, 5-64
 - as shape object property 2-9, 2-31 to 2-32, 2-76 to 2-77
 - as style object property 3-6, 3-11 to 3-13, 3-22
 - as tag object property 8-4, 8-11, 8-20, 8-21
 - as transform object property 6-7, 6-19 to 6-20, 6-39
 - defined 1-16

P

- packing, color 4-6, 4-54
- PAL space 4-20 to 4-22
- panels, adding to printing dialog boxes 1-36

- paper-type objects
 - defined 1-15
- parent view port
 - as view port property 7-8, 7-18 to 7-19
 - functions for 7-84 to 7-85
 - setting up 7-46 to 7-47
- path shapes 1-11, 2-10
- pattern
 - as style object property 3-4
- PDD. *See* portable digital document
- pen width
 - as style object property 3-4
- perceptual matching 4-30
- perspective operations 6-10
- picture shapes
 - defined 1-11, 2-11
 - local space for 7-34
 - unique items in 2-17
- pinning, of colors 5-28, 5-32 to 5-33, 5-54
- point shapes 1-11, 2-9
- polygon shapes 1-11, 2-10
- portable digital document (PDD) 1-34, 1-37
- posting errors, warnings, and notices 1-38
- primitive shapes 2-33, 6-7
- printer drivers 1-35
- printer objects
 - defined 1-15
- print file objects 1-34
- print-file objects
 - . *See also* portable digital document
 - defined 1-15
- print files 1-37
- printing 1-6, 1-34 to 1-37
 - . *See also* printing objects, printing dialog boxes
 - transfer modes and 5-49 to 5-50
- printing dialog boxes 1-35
 - adding panels to 1-36
 - status dialog box 1-37
- printing extensions 1-35
- printing modes 1-37
- printing objects
 - . *See also* job objects, format objects, paper-type objects, printer objects, print-file objects
 - defined 1-14 to 1-15
- printing status dialog box 1-37
- priority justification override
 - as style object property 3-5
- profile chromaticities 4-28
- profile data, as color profile property 4-36, 4-36 to 4-37, 4-48 to 4-49, 4-88 to 4-93
- profile response curves 4-29
- programming environment 1-38 to 1-45
 - conventions and consistencies 1-41 to 1-44
 - debugging. *See* debugging
 - error handling 1-38 to 1-39

implementation limits 1-43. *See also* Macintosh environment
 setting up QuickDraw GX memory 1-38
 properties. *See* object properties
 pseudo-Boolean transfer modes 5-18 to 5-19
 . *See also* ramp-AND mode, ramp-OR mode, ramp-XOR mode

Q

QuickDraw GX, general features of 1-3 to 1-7
 compatibility with QuickDraw 1-4
 debugging and non-debugging versions 1-39
 graphics 1-4
 limitations to 1-7
 printing 1-6
 programming conventions and consistencies 1-41 to 1-44
 QuickDraw GX memory 1-18 to 1-19
 relationship to Macintosh environment 1-44 to 1-45
 typography 1-5

R

ramp-AND mode 5-19, 5-45
 ramp-OR mode
 defined 5-19
 examples of using 5-45, 5-46, 5-48
 for calculating alpha-channel values 5-24
 ramp-XOR mode
 defined 5-19
 examples of using 5-45, 5-46
 for calculating alpha-channel values 5-24
 rectangle shapes 1-11, 2-10
 references. *See* object references
 remote memory 2-16
 result color 5-11
 result color limits 5-32 to 5-33, 5-54
 result matrix 5-8, 5-33 to 5-34
 RGB-based color spaces 4-9 to 4-13
 RGB space 4-9 to 4-11
 rotation operations 6-10
 causing change in shape type 6-27
 using shape geometry 6-27 to 6-28, 6-70
 using transform mapping 6-24 to 6-26, 6-62
 run controls
 as style object property 3-5
 run features array
 as style object property 3-5

S

saturation 4-12
 saturation matching 4-30
 scaling operations 6-10
 using shape geometry 6-27 to 6-28, 6-68
 using transform mapping 6-24 to 6-26, 6-60
 scrolling, in a view port 7-19, 7-22 to 7-23, 7-47 to 7-49
 shape attributes
 as shape object property 2-8
 list of 2-16 to 2-18, 2-47
 manipulating 2-28 to 2-29, 2-74 to 2-75
 shape caches 2-16
 shape fills
 as shape object property 2-8
 closed-frame fill 2-13
 even-odd fill 2-14
 inverse even-odd fill 2-14
 inverse winding fill 2-14
 list of 2-13 to 2-15, 2-46 to 2-47
 manipulating 2-28 to 2-29, 2-68 to 2-69
 no fill 2-13
 open-frame fill 2-13
 valid shape types for 2-15
 winding fill 2-14
 shape geometry 1-10
 as shape object property 2-8
 contents of 2-11 to 2-13
 copying between shapes 2-29 to 2-30, 2-67 to 2-68
 directly manipulating 2-34 to 2-35, 2-80 to 2-84
 shape object properties 2-7 to 2-9
 attributes. *See* shape attributes
 default values for 2-18 to 2-19, 2-23, 2-31, 2-75 to 2-76
 fill. *See* shape fills
 geometry. *See* shape geometry
 ink reference 2-8, 2-30 to 2-31, 2-71 to 2-72
 owner count 2-9, 2-31 to 2-32, 2-76 to 2-77
 style reference 2-8, 2-30 to 2-31, 2-69 to 2-71
 tag list 2-9, 2-32, 2-77 to 2-79
 transform reference 2-8, 2-30 to 2-31, 2-72 to 2-73
 type. *See* shape types
 shape objects 2-5 to 2-97
 . *See also* shapes
 absolute location for 6-24, 6-67
 caching 2-27, 2-62 to 2-65
 changing the default 2-23, 2-52 to 2-53
 colors of, on a view device 7-119 to 7-120
 constants and data types for 2-45 to 2-51
 copying, comparing, and cloning 2-25 to 2-26, 2-57 to 2-62
 copying geometry of 2-29 to 2-30, 2-67 to 2-68
 converting shape type of 2-33, 2-66 to 2-67
 creating and disposing of 2-24 to 2-25, 2-54 to 2-56
 default 2-18 to 2-19
 defined 1-10 to 1-11, 2-46

- directly manipulating geometry of 2-34 to 2-35, 2-80 to 2-84
- drawing. *See* drawing
- flattening. *See* flattening
- functions for 2-51 to 2-92
- grouping 2-17
- hit-testing on a view device 7-60, 7-120 to 7-121
- hit-testing. *See* hit-testing
- loading and unloading 2-18, 2-27 to 2-28
- locking and unlocking 2-17, 2-34 to 2-35, 2-80 to 2-84
- manipulating owner count of 2-31 to 2-32, 2-61 to 2-62, 2-76 to 2-77
- manipulating properties of 2-19 to 2-20, 2-28 to 2-32, 2-65 to 2-79
- measuring
 - in device space 7-59 to 7-60, 7-116 to 7-118
 - in global space 7-63 to 7-65, 7-125 to 7-126
 - in local space 7-51 to 7-52, 7-96 to 7-97
- memory size of 2-25, 2-56 to 2-57
- primitive 2-33, 6-7
- printing 1-34 to 1-37
- properties of. *See* shape object properties
- resetting to default values 2-31, 2-75 to 2-76
- saving and restoring. *See* flattening, unflattening
- transforming. *See* transforming shapes
- types of. *See* shape types
- unflattening. *See* unflattening
- view devices of 7-58, 7-115 to 7-116
- view ports of 7-50, 7-95
- shape parts, for hit-testing 1-32, 2-20 to 2-21, 2-36 to 2-37, 6-12 to 6-13
- shapes
 - . *See also* shape objects
 - component objects of 2-5 to 2-6
 - defined 2-5
- shape types 1-10
 - as shape object property 2-8
 - bitmap shapes 1-11, 2-10
 - converting between 2-33, 2-66 to 2-67
 - curve shapes 1-11, 2-9
 - empty shapes 1-11, 2-9
 - full shapes 1-11, 2-11
 - geometric 1-11
 - glyph shapes 1-11, 2-10
 - graphic 1-11
 - layout shapes 1-11, 2-10
 - line shapes 1-11, 2-9
 - list of 2-9 to 2-11, 2-46
 - manipulating 2-28 to 2-29, 2-66 to 2-67
 - path shapes 1-11, 2-10
 - picture shapes 1-11, 2-11
 - point shapes 1-11, 2-9
 - polygon shapes 1-11, 2-10
 - rectangle shapes 1-11, 2-10
 - text shapes 1-11, 2-10
 - typographic 1-11
 - valid shape fills for 2-15
- skewing operations 6-10
 - using shape geometry 6-27 to 6-28, 6-71
 - using transform mapping 6-24 to 6-26, 6-63
- solid fill. *See* even-odd fill
- source color 4-24, 5-11
- source color limits 5-31, 5-54
- source matrix 5-8, 5-33 to 5-34
- spaces. *See* coordinates and coordinate spaces, color spaces
- spool block structure 2-49 to 2-50
- spool function, for flattening and unflattening 2-49, 2-91 to 2-92
- spooling 1-34
 - . *See also* spool block structure, spool function
- style attributes
 - . *See also* style text attributes
 - as style object property 3-5
 - manipulating 3-11
- style object properties 3-4 to 3-6, 3-10 to 3-14, 3-21 to 3-25
 - alignment 3-5
 - attributes. *See* style attributes
 - cap 3-4
 - curve error 3-4
 - dash 3-4
 - default values for 3-6 to 3-7, 3-11, 3-21
 - encoding 3-5
 - font 3-5
 - font variations 3-5
 - glyph justification overrides array 3-5
 - glyph substitutions array 3-5
 - join 3-4
 - kerning adjustments array 3-5
 - owner count 3-6, 3-11 to 3-13, 3-22
 - pattern 3-4
 - pen width 3-4
 - priority justification override 3-5
 - run controls 3-5
 - run features array 3-5
 - tag list 3-6, 3-14, 3-22 to 3-25
 - text attributes. *See* style text attributes
 - text face 3-5
 - text size 3-5
- style objects 3-3 to 3-26
 - as shape object property 2-8, 2-30 to 2-31, 2-69 to 2-71
 - constants and data types for 3-16
 - copying, comparing, and cloning 3-8 to 3-10, 3-18 to 3-20
 - creating and disposing of 3-7 to 3-8, 3-16 to 3-18
 - default 3-6 to 3-7, 3-11, 3-21
 - defined 1-12, 3-16
 - functions for 3-16 to 3-25
 - loading and unloading 3-10

- manipulating owner count of 3-11 to 3-13, 3-22
- manipulating properties of 3-10 to 3-14, 3-21 to 3-25
- properties of. *See* style object properties
- style text attributes
 - . *See also* style attributes
 - as style object property 3-5
 - manipulating 3-11
- synonyms 1-37

T

tag contents, as tag object property 8-4

tag list 8-3

- as color profile property 4-36, 4-47, 4-85 to 4-87
- as color set property 4-33, 4-47, 4-70 to 4-73
- as ink object property 5-6, 5-41, 5-65 to 5-67
- as shape object property 2-9, 2-32, 2-77 to 2-79
- as style object property 3-6, 3-14, 3-22 to 3-25
- as transform object property 6-7, 6-20, 6-40 to 6-42
- as view device property 7-25, 7-56, 7-112 to 7-115
- as view port property 7-9, 7-91 to 7-93
- defined 1-17, 1-18

tag object properties 8-4

- contents 8-4, 8-10 to 8-11, 8-11 to 8-12, 8-18, 8-20
- owner count 8-4, 8-11, 8-20, 8-21
- size 8-4, 8-18, 8-20
- tag type 8-4, 8-5 to 8-6, 8-10 to 8-11

tag objects 8-3 to 8-25

- attaching to other objects 8-12
- constants and data types for 8-13
- copying, comparing, and cloning 8-9, 8-15 to 8-18
- creating and disposing of 8-8, 8-13 to 8-15
- defined 1-13, 1-17, 8-13
- directly manipulating contents of 8-11 to 8-12, 8-21 to 8-24
- functions for 8-13 to 8-24
- loading and unloading 8-9
- locking and unlocking 8-11 to 8-12, 8-21 to 8-24
- manipulating properties of 8-9 to 8-12, 8-18 to 8-21
- properties of. *See* tag object properties
- QuickDraw GX behavior and 8-7
- uses for 1-17 to 1-18, 8-6 to 8-7

tag size, as tag object property 8-4

tag types 8-3

- as tag object property 8-4, 8-5 to 8-6
- list of 8-5 to 8-6

text attributes. *See* style text attributes

text face

- as style object property 3-5

text shapes 2-10

- defined 1-11

text size

- as style object property 3-5

tint and tint color, for a halftone 7-16 to 7-17

tint space, for a halftone 7-17

tint types, for a halftone 7-16 to 7-17, 7-67

tolerance, for hit-testing 1-32, 2-21, 6-13

transfer component flags 5-35, 5-55 to 5-56

transfer component structure 5-8, 5-53 to 5-54

transfer mode flags 5-8, 5-35 to 5-36, 5-53

transfer modes 5-11 to 5-37, 5-44 to 5-50

- . *See also* transfer mode structure

- and printing 5-49 to 5-50

- as ink object property 5-6, 5-8 to 5-9

- color limits for 5-27 to 5-33, 5-54

- destination 5-32, 5-54

- result 5-32 to 5-33, 5-54

- source 5-31, 5-54

- color space for 5-25 to 5-27

- flags 5-34 to 5-36

- functions for 5-72 to 5-76

- getting and setting 5-43

- matrices in 5-33 to 5-34

- summary of operation 5-36 to 5-37

- types of. *See* component modes

transfer mode structure 5-8 to 5-9, 5-52 to 5-53

transform clip

- as transform object property 6-6

- characteristics of 6-7 to 6-9

- constructive geometry operations on 6-21 to 6-23, 6-48 to 6-53

- functions for 6-43 to 6-53

- getting and setting 6-20, 6-43 to 6-48

transforming shapes

- . *See also* translation operations, scaling operations, rotation operations, skewing operations, perspective operations

- by altering shape geometry 2-17, 6-26 to 6-28, 6-65 to 6-73

- by altering transform mapping 2-17, 6-23 to 6-26, 6-58 to 6-65

- by applying a mapping to the geometry 6-72

transform mapping

- applying another mapping to 6-64

- as transform object property 6-6

- characteristics of 6-10 to 6-11

- functions for 6-53 to 6-65

transform object properties 6-6 to 6-14

- clip. *See* transform clip

- default values for 6-14, 6-20, 6-38

- hit-test parameters. *See* hit-test parameters

- mapping. *See* transform mapping

- owner count 6-7, 6-19 to 6-20, 6-39

- tag list 6-7, 6-20, 6-40 to 6-42

- view port list. *See* view port list

transform objects 6-5 to 6-84

- as shape object property 2-8, 2-30 to 2-31, 2-72 to 2-73

- constants and data types for 6-31 to 6-32

- copying, comparing, and cloning 6-16 to 6-18, 6-35 to 6-38
- creating and disposing of 6-15 to 6-16, 6-18, 6-33 to 6-35
- default 6-14
- defined 1-13, 6-31
- functions for 6-32 to 6-81
- loading and unloading 6-18
- manipulating properties of 6-19 to 6-20, 6-38 to 6-48, 6-54 to 6-58
- manipulating the clip of 6-48 to 6-53
- manipulating the view port list of 6-28 to 6-30, 6-73 to 6-77
- modifying the mapping of 6-23 to 6-26, 6-58 to 6-65
- properties of. *See* transform object properties
- resetting default properties 6-20, 6-38
- translation operations 6-10
 - using shape geometry 6-26 to 6-27, 6-66 to 6-68
 - using transform mapping 6-24, 6-58 to 6-60
- tristimulus values 4-16
- type. *See* shape type
- typographic shapes
 - . *See also* text shapes, glyph shapes, layout shapes
 - defined 1-11
- typography 1-5

U

- undercolor removal 4-14, 4-29
- unflattening 1-23, 2-22, 2-39 to 2-42
 - constants and data types for 2-48 to 2-50
 - functions for 2-87 to 2-92
- unique items in a picture shape 2-17
- universal color spaces 4-15 to 4-22
- unlocking
 - color profiles 4-49, 4-91
 - shapes 2-17, 2-81
 - tag objects 8-11 to 8-12, 8-22

V

- value, in HSV space 4-12
- video color spaces 4-20 to 4-22
- view device attributes
 - as view device property 7-25
 - functions for 7-110 to 7-111
 - list of 7-27, 7-68
 - manipulating 7-56
- view device clip
 - as view device property 7-25, 7-26
 - functions for 7-102 to 7-104

- manipulating 7-56 to 7-57
- view device mapping
 - as view device property 7-25, 7-26
 - functions for 7-105 to 7-106
 - manipulating 7-56 to 7-57
- view device objects 7-24 to 7-28, 7-52 to 7-60, 7-97 to 7-121
 - colors of a shape on 7-119 to 7-120
 - constants and data types for 7-68
 - copying and comparing 7-52 to 7-54, 7-100 to 7-102
 - creating and disposing of 7-52 to 7-54, 7-98 to 7-99
 - default 7-28
 - defined 1-13, 1-26, 7-5 to 7-7, 7-68
 - functions for 7-97 to 7-121
 - halftone angle on 7-83
 - hit-testing a shape on 7-60, 7-120 to 7-121
 - identifying, for a shape 7-58, 7-115 to 7-116
 - identifying, for a view port 7-49 to 7-50, 7-94
 - manipulating properties of 7-54 to 7-57, 7-102 to 7-115
 - measuring a shape in device space 7-59 to 7-60, 7-116 to 7-118
 - properties of. *See* view device properties
- view device properties 7-25 to 7-27, 7-54 to 7-57
 - attributes. *See* view device attributes
 - bitmap 7-25, 7-26 to 7-27, 7-55, 7-107 to 7-108
 - clip. *See* view device clip
 - default values for 7-28
 - mapping. *See* view device mapping
 - tag list 7-25, 7-56, 7-112 to 7-115
 - view group 7-25, 7-55, 7-109 to 7-110
- view group objects 7-29 to 7-30, 7-60 to 7-65, 7-121 to 7-126
 - as view device property 7-25, 7-55, 7-109 to 7-110
 - as view port property 7-9, 7-88 to 7-89
 - constants and data types for 7-69
 - creating and disposing of 7-61 to 7-62, 7-122 to 7-123
 - defined 1-13, 7-5 to 7-7, 7-69
 - functions for 7-121 to 7-126
 - measuring a shape in global space 7-63 to 7-65, 7-125 to 7-126
 - offscreen 7-29 to 7-30, 7-62 to 7-63
 - onscreen 7-7, 7-29 to 7-30
 - view devices of 7-62, 7-124 to 7-125
 - view ports of 7-62, 7-123 to 7-124
- view port attributes
 - as view port property 7-9
 - functions for 7-89 to 7-90
 - list of 7-20, 7-68
 - manipulating 7-42 to 7-43
- view port clip
 - as view port property 7-8, 7-9 to 7-10
 - functions for 7-74 to 7-76
 - manipulating 7-44 to 7-46
- view port list

- as transform object property 6-6, 6-11
- functions for 6-73 to 6-77
- manipulating 6-28 to 6-30
- view port mapping
 - as view port property 7-8, 7-9 to 7-10
 - functions for 7-77 to 7-79
 - manipulating 7-44 to 7-45
- view port objects 7-7 to 7-23, 7-40 to 7-52, 7-69 to 7-97
 - and windows 7-21 to 7-23
 - constants and data types for 7-65 to 7-68
 - copying and comparing 7-40 to 7-41, 7-72 to 7-74
 - creating and disposing of 7-40 to 7-41, 7-70 to 7-72
 - default 7-20 to 7-21
 - defined 1-13, 1-26, 7-5 to 7-7, 7-65
 - functions for 7-69 to 7-97
 - getting the global mapping of 7-79
 - halftone angle on a device 7-83
 - hierarchies of 7-18 to 7-19, 7-21 to 7-23, 7-46 to 7-47
 - identifying, for a shape 7-50, 7-95
 - manipulating properties of 7-42 to 7-46, 7-74 to 7-93
 - measuring a shape in local space 7-51 to 7-52, 7-96 to 7-97
 - properties of. *See* view port properties
 - scrolling support 7-47 to 7-49
 - view devices of 7-49 to 7-50, 7-94
- view port properties 7-7 to 7-20, 7-42 to 7-46
 - attributes. *See* view port attributes
 - child view port list. *See* child view port list
 - clip. *See* view port clip
 - default values for 7-20 to 7-21
 - dither. *See* dither
 - halftone. *See* halftones
 - mapping. *See* view port mapping
 - parent view port. *See* parent view port
 - tag list 7-9, 7-91 to 7-93
 - view group 7-9, 7-88 to 7-89

W

- warnings
 - defined 1-38
 - handlers for 1-39
 - ignoring 1-39
 - posting 1-39
- white point 4-17
- winding fill 2-14

X

- XOR mode 5-17, 5-45, 5-46
- XYZ space 4-16, 4-18 to 4-19

Y

- YIQ space 4-20 to 4-22
- Yxy space 4-16 to 4-17, 4-18 to 4-19

Z

- zero-length profiles 4-37 to 4-38