

# Figures, Tables, and Listings

## Preface

## About this Book

<b>Figure P-1</b>	Roadmap to the QuickDraw GX suite of books	xviii
-------------------	--	-------

## Chapter 1

## Introduction to Printing Extensions and Drivers 1-1

<b>Figure 1-1</b>	A printing message chain	1-5
<b>Table 1-1</b>	Print imaging systems that QuickDraw GX supports	1-6
<b>Figure 1-2</b>	The phases of QuickDraw GX printing	1-8
<b>Figure 1-3</b>	Using multiple extensions concurrently	1-12
<b>Figure 1-4</b>	Several functions handling the <code>GXDespoolPage</code> message	1-13

## Chapter 2

## Printing Extensions 2-1

<b>Figure 2-1</b>	The background picture panel displayed in the Print dialog box	2-5
<b>Table 2-1</b>	Files used to implement the background picture printing extension	2-7
<b>Figure 2-2</b>	A page printed while the background picture printing extension is active	2-8
<b>Table 2-2</b>	Printing messages overridden by the background picture printing extension	2-9
<b>Listing 2-1</b>	The override resource for the background picture printing extension	2-10
<b>Listing 2-2</b>	The jump table for the background picture printing extension	2-10
<b>Table 2-3</b>	Implementation types for QuickDraw GX printing messages	2-12
<b>Listing 2-3</b>	Forwarding the <code>GXJobPrintDialog</code> message	2-13
<b>Listing 2-4</b>	Using the <code>nrequire</code> macro for exception handling	2-14
<b>Listing 2-5</b>	Using the <code>nrequire_action</code> macro for exception handling	2-15
<b>Listing 2-6</b>	The <code>BWInitialize</code> override function	2-16
<b>Listing 2-7</b>	The <code>InitGlobalData</code> function	2-17
<b>Listing 2-8</b>	The <code>BWJobPrintDialog</code> override function	2-17
<b>Listing 2-9</b>	The <code>BackwashCollection</code> structure	2-18
<b>Listing 2-10</b>	The <code>SetupPrintPanel</code> function	2-18
<b>Listing 2-11</b>	The <code>gxPanelInfoRecord</code> structure	2-20
<b>Table 2-4</b>	Panel events handled by the background picture printing extension	2-21
<b>Listing 2-12</b>	The <code>BWHandlePanelEvent</code> override function	2-22
<b>Listing 2-13</b>	The <code>OpenBackwashPanel</code> function	2-24
<b>Listing 2-14</b>	The <code>BWCreateSpoolFile</code> override function	2-25
<b>Listing 2-15</b>	The <code>AddBackwash</code> function	2-26
<b>Listing 2-16</b>	The <code>BWDespoolPage</code> function	2-28
<b>Listing 2-17</b>	The <code>BWCloseSpoolFile</code> override function	2-31

<b>Listing 2-18</b>	The BWSHutDown override function	2-31
<b>Table 2-5</b>	Resource types used to define a printing extension	2-32
<b>Listing 2-19</b>	The QuickDraw GX version resource for the background picture printing extension	2-33
<b>Listing 2-20</b>	The standard version resources for the background picture printing extension	2-34
<b>Listing 2-21</b>	The extension scope resource for the background picture printing extension	2-35
<b>Table 2-6</b>	Identifiers for the extension scope resource	2-35
<b>Listing 2-22</b>	An example of extension scope resources	2-36
<b>Listing 2-23</b>	An example of an extension optimization resource	2-37
<b>Listing 2-24</b>	Override resources for a printing extension	2-38
<b>Listing 2-25</b>	The extension load resource for the background picture extension	2-39
<b>Table 2-7</b>	Loading order constants for an extension	2-39

## Chapter 3

### Printer Drivers 3-1

---

<b>Figure 3-1</b>	The printing status displayed in a desktop printer window	3-10
<b>Table 3-1</b>	Files used to implement the ImageWriter II printer driver	3-12
<b>Table 3-2</b>	Printing messages overridden by the ImageWriter II printer driver	3-13
<b>Listing 3-1</b>	Two override resources from the ImageWriter II printer driver	3-14
<b>Listing 3-2</b>	The jump table for the ImageWriter II printer driver	3-15
<b>Table 3-3</b>	Message overrides for the LaserWriter IIg printer driver	3-18
<b>Listing 3-3</b>	Overriding the GXRasterLineFeed message	3-19
<b>Figure 3-2</b>	The job collection	3-21
<b>Table 3-4</b>	Tag ID constants for items in the job collection	3-22
<b>Listing 3-4</b>	Initializing the ImageWriter II printer driver	3-24
<b>Listing 3-5</b>	Modifying the default printer object	3-25
<b>Table 3-5</b>	Color values for an eight-color view device for the ImageWriter II printer	3-27
<b>Listing 3-6</b>	Establishing the printing resolution for the ImageWriter II printer	3-28
<b>Listing 3-7</b>	Determining the preferred job-formatting mode	3-29
<b>Listing 3-8</b>	Opening the connection with the printing device	3-30
<b>Listing 3-9</b>	Getting information about the configuration of the printing device	3-31
<b>Listing 3-10</b>	Responding to a query about the job format mode	3-34
<b>Listing 3-11</b>	Setting up the constant data for the print job	3-36
<b>Listing 3-12</b>	Establishing the print quality	3-38
<b>Listing 3-13</b>	Determining if the print job uses any manually fed pages	3-39
<b>Listing 3-14</b>	Finding the manual-feed paper name	3-40
<b>Listing 3-15</b>	Displaying a printing alert box with printer status information	3-42
<b>Listing 3-16</b>	Checking if an alert condition has resolved itself	3-44
<b>Table 3-6</b>	Predefined alert conditions for printing device drivers	3-44
<b>Listing 3-17</b>	Modifying alert information at run time	3-45
<b>Table 3-7</b>	Status text IDs in the page transmission status resource	3-47
<b>Listing 3-18</b>	Terminating the print job	3-48
<b>Table 3-8</b>	PostScript color-space choices	3-52

<b>Table 3-9</b>	Resource types used to define a printer driver	3-53
<b>Listing 3-19</b>	The QuickDraw GX version resource for the ImageWriter II printer driver	3-56
<b>Listing 3-20</b>	Override resources for the ImageWriter II printer driver	3-56
<b>Listing 3-21</b>	The imaging system resource for the ImageWriter II printer driver	3-58
<b>Table 3-10</b>	Imaging system values	3-58
<b>Listing 3-22</b>	Communications resources for the ImageWriter II printer driver	3-59
<b>Listing 3-23</b>	The buffering and input/output preferences resource for the ImageWriter II printer driver	3-60
<b>Listing 3-24</b>	Capture resources for the ImageWriter II printer driver	3-61
<b>Listing 3-25</b>	A status resource for the ImageWriter II printer driver	3-61
<b>Listing 3-26</b>	The customization resource for the ImageWriter II printer driver	3-62
<b>Listing 3-27</b>	The raster preferences resource for the ImageWriter II printer driver	3-63
<b>Listing 3-28</b>	The raster package resource for the ImageWriter II printer driver	3-63
<b>Listing 3-29</b>	The raster package controls resource for the ImageWriter II printer driver	3-64
<b>Listing 3-30</b>	The look resource for the ImageWriter II printer driver	3-66
<b>Figure 3-3</b>	The Apple LaserWriter printer driver icons	3-66
<b>Figure 3-4</b>	The QuickDraw GX desktop-printer status icons	3-68
<b>Figure 3-5</b>	Desktop printer icons showing printer status	3-69
<b>Listing 3-31</b>	The bundle resource for the ImageWriter II printer driver	3-70
<b>Table 3-11</b>	File types for desktop printer icons	3-70
<b>Listing 3-32</b>	The file reference resources for the ImageWriter II printer driver	3-71
<b>Listing 3-33</b>	The icon resources for the ImageWriter II printer driver	3-71

## Chapter 4

## Printing Messages 4-1

---

<b>Table 4-1</b>	Status type IDs	4-40
<b>Table 4-2</b>	Communications errors returned by many of the printing messages	4-42
<b>Table 4-3</b>	The actions of the GXSetPrinterProfile message	4-65
<b>Table 4-4</b>	The actions of the GXSetFormatProfile message	4-67
<b>Table 4-5</b>	Options for the GXCreateSpoolFile message	4-68
<b>Table 4-6</b>	GXCloseSpoolFile options	4-80
<b>Table 4-7</b>	Image file options	4-92
<b>Table 4-8</b>	Constants for PostScript query results	4-102
<b>Listing 4-1</b>	Using the GXPostScriptGetPrinterText and GXPostScriptScanPrinterText messages	4-109
<b>Listing 4-2</b>	An example of the GXPostScriptGetDocumentProcSetList message	4-114
<b>Table 4-9</b>	Communications resource types	4-133
<b>Table 4-10</b>	Options for adding data to the buffer	4-140

## Chapter 5

### Printing Functions for Message Overrides 5-1

---

<b>Listing 5-1</b>	Looping through the paper trays	5-5
<b>Listing 5-2</b>	Accessing the desktop printer data	5-7
<b>Listing 5-3</b>	The <code>Device</code> function for the ImageWriter II printer driver	5-9
<b>Listing 5-4</b>	Calling the <code>GXCleanupOpenConnection</code> function	5-11
<b>Table 5-1</b>	Messages that the Chooser sends to drivers	5-35

## Chapter 6

### Printing Resources 6-1

---

<b>Figure 6-1</b>	The override resource	6-13
<b>Table 6-1</b>	Override resource IDs	6-14
<b>Table 6-2</b>	Printing message constants	6-15
<b>Listing 6-1</b>	An example of an override resource	6-17
<b>Listing 6-2</b>	QuickDraw GX version resources	6-18
<b>Figure 6-2</b>	The status resource	6-19
<b>Table 6-3</b>	Status types	6-20
<b>Listing 6-3</b>	An example of a status resource	6-21
<b>Figure 6-3</b>	The printing alert resource	6-22
<b>Table 6-4</b>	Printing alert versions	6-23
<b>Table 6-5</b>	Icon IDs for a printing alert resource	6-23
<b>Table 6-6</b>	Default button string values for a printing alert resource	6-23
<b>Listing 6-4</b>	An example of a printing alert resource	6-24
<b>Table 6-7</b>	Cancel button string values for a printing alert resource	6-24
<b>Figure 6-4</b>	The tray count resource	6-25
<b>Figure 6-5</b>	The tray name resource	6-25
<b>Figure 6-6</b>	The extension scope resource	6-26
<b>Table 6-8</b>	Imaging system identifiers for the extension scope resource	6-27
<b>Table 6-9</b>	Scope resource identifiers	6-27
<b>Listing 6-5</b>	An example of a pair of extension resources used together	6-28
<b>Figure 6-7</b>	The extension load resource	6-28
<b>Listing 6-6</b>	An example of an extension load resource	6-29
<b>Table 6-10</b>	Extension load priority constants	6-29
<b>Figure 6-8</b>	The extension optimization resource	6-30
<b>Table 6-11</b>	Extension optimization resource flags	6-30
<b>Listing 6-7</b>	An example of an extension optimization resource	6-31
<b>Table 6-12</b>	Resources used only in printer drivers	6-32
<b>Figure 6-9</b>	The imaging system resource	6-33
<b>Listing 6-8</b>	An example of an imaging system resource	6-34
<b>Figure 6-10</b>	The look resource	6-34
<b>Table 6-13</b>	Flag constants for the look resource	6-35
<b>Listing 6-9</b>	An example of a look resource	6-36
<b>Figure 6-11</b>	The serial communications resource	6-37
<b>Table 6-14</b>	Constants for the baud rate	6-38
<b>Table 6-15</b>	Parity constants	6-39
<b>Table 6-16</b>	Constants for stop bits	6-39
<b>Table 6-17</b>	Constants for data bits	6-39
<b>Figure 6-12</b>	Input and output handshaking values	6-40
<b>Listing 6-10</b>	An example of a serial communications resource	6-41

<b>Table 6-18</b>	Handshake error types	6-41
<b>Table 6-19</b>	Status changes that cause driver events to be posted	6-41
<b>Figure 6-13</b>	The PAP communications resource	6-42
<b>Listing 6-11</b>	An example of an AppleTalk communications resource	6-43
<b>Figure 6-14</b>	The PrinterShare communications resource	6-44
<b>Listing 6-12</b>	An example of a PrinterShare communications resource	6-44
<b>Figure 6-15</b>	The SCSI communications resource	6-45
<b>Listing 6-13</b>	An example of a SCSI communications resource	6-46
<b>Figure 6-16</b>	The customization resource	6-47
<b>Table 6-20</b>	Updriver values for the customization resource	6-48
<b>Table 6-21</b>	Translator setting values	6-48
<b>Listing 6-14</b>	An example of a customization resource	6-49
<b>Figure 6-17</b>	The resolution resource	6-50
<b>Listing 6-15</b>	An example of a resolution resource	6-50
<b>Listing 6-16</b>	An example of a print record resource	6-51
<b>Figure 6-18</b>	The dialog control resource	6-53
<b>Table 6-22</b>	Control item types	6-53
<b>Listing 6-17</b>	Two examples of a dialog control resource	6-54
<b>Table 6-23</b>	Cluster type constants for the dialog control resource	6-56
<b>Table 6-24</b>	Frill type constants for the dialog control resource	6-57
<b>Table 6-25</b>	Toggle action-item flags for the dialog control resource	6-59
<b>Figure 6-19</b>	The scaling table resource	6-61
<b>Figure 6-20</b>	The buffering and input/output preferences resource	6-62
<b>Listing 6-18</b>	An example of a buffering and input/output preferences resource	6-63
<b>Figure 6-21</b>	The capture resource	6-63
<b>Table 6-26</b>	Capture resource types	6-64
<b>Table 6-27</b>	Substitution strings for the capture resource	6-64
<b>Listing 6-19</b>	Examples of capture resources for a printer driver	6-65
<b>Figure 6-22</b>	The print file formats resource	6-66
<b>Listing 6-20</b>	An example of a print-file formats resource	6-66
<b>Figure 6-23</b>	The raster preferences resource	6-67
<b>Table 6-28</b>	Raster preference option values	6-70
<b>Table 6-29</b>	Flags used for each plane in the raster preferences resource	6-70
<b>Table 6-30</b>	Plane dithering types	6-71
<b>Table 6-31</b>	Plane tinting types	6-71
<b>Listing 6-21</b>	An example of a raster preferences resource	6-72
<b>Figure 6-24</b>	The raster package resource	6-73
<b>Listing 6-22</b>	An example of a raster package resource	6-74
<b>Table 6-32</b>	Raster package options	6-74
<b>Figure 6-25</b>	The raster package controls resource	6-75
<b>Listing 6-23</b>	An example of a raster package controls resource	6-76
<b>Table 6-33</b>	Number types for specifying line feeds	6-76
<b>Figure 6-26</b>	The color set resource	6-78
<b>Listing 6-24</b>	An example of a color set resource	6-78
<b>Figure 6-27</b>	The PostScript scanning resource	6-79
<b>Table 6-34</b>	Scan string specifications for the PostScript scanning resource	6-80
<b>Table 6-35</b>	Scan offset specifications for the PostScript scanning resource	6-80

<b>Listing 6-25</b>	An example of PostScript scanning resources for a printer driver 6-81
<b>Table 6-36</b>	Scan-action specifications for the PostScript scanning resource 6-81
<b>Figure 6-28</b>	The PostScript procedure set control resource 6-82
<b>Table 6-37</b>	PostScript procedure data flags 6-83
<b>Figure 6-29</b>	The PostScript printer font type resource for the Adobe character set 6-84
<b>Listing 6-26</b>	Examples of PostScript printer font type resources for the Adobe character set 6-84
<b>Figure 6-30</b>	The PostScript printer font type resource for the Apple character set 6-85
<b>Listing 6-27</b>	An example of a PostScript printer font type resource for the Apple character set 6-86
<b>Figure 6-31</b>	The PostScript printer font type resource for an equivalent character set 6-86
<b>Figure 6-32</b>	The PostScript printer font type resource for an encoded font 6-87
<b>Figure 6-33</b>	PostScript preferences resource 6-88
<b>Table 6-38</b>	PostScript render options 6-89
<b>Table 6-39</b>	Font stream types 6-89