

Font Objects

Contents

About Font Objects	7-5
Font Object Properties	7-5
Names	7-6
Encodings	7-7
Font Descriptors	7-9
Font Variations	7-10
Font Instances	7-11
Font Features	7-12
QuickDraw GX Font Formats	7-12
How Font Objects Are Stored and Referenced	7-13
Font Attributes	7-14
Font Embedding	7-14
Font Tables	7-14
The List of Available Fonts	7-15
The Default Font	7-15
Using Font Objects	7-15
Getting Information About Available Fonts	7-15
Drawing With a Specific Font	7-17
Gaining Access to Font Properties	7-17
Getting a Font Name	7-17
Adding a Font Instance	7-18
Retrieving Font Features	7-19
Determining Font Variations	7-20
Retrieving Language-Specific Font Lists	7-20
Manipulating Font Tables	7-21
Font Objects Reference	7-21
Basic Constants and Data Types	7-22
The Font Object	7-22
Font Variations, Instances, and Descriptors	7-22
Font Names	7-23

Font Features	7-24
Font Platforms	7-25
QuickDraw GX Macintosh Scripts	7-26
Languages	7-28
Advanced Constants and Data Types	7-31
Font Storage Tags	7-31
Font Table Tags	7-32
Font Attributes	7-32
Basic Font Functions	7-32
Getting the List of Available Fonts	7-33
GXFindFonts	7-33
Counting Glyphs in a Font	7-34
GXCountFontGlyphs	7-35
Getting and Setting the Default Font	7-35
GXGetDefaultFont	7-35
GXSetDefaultFont	7-36
Manipulating Font Names	7-37
GXCountFontNames	7-37
GXGetFontName	7-38
GXFindFontName	7-39
GXNewFontNameID	7-40
GXSetFontName	7-41
GXDeleteFontName	7-42
Manipulating Font Encodings	7-43
GXCountFontEncodings	7-44
GXGetFontEncoding	7-44
GXFindFontEncoding	7-45
GXApplyFontEncoding	7-46
Manipulating Font Descriptors	7-48
GXCountFontDescriptors	7-48
GXGetFontDescriptor	7-49
GXFindFontDescriptor	7-50
GXSetFontDescriptor	7-51
GXDeleteFontDescriptor	7-52
Manipulating Font Variations	7-53
GXCountFontVariations	7-53
GXGetFontVariation	7-54
GXFindFontVariation	7-55
Manipulating Font Instances	7-56
GXCountFontInstances	7-56
GXGetFontInstance	7-56
GXSetFontInstance	7-57
GXDeleteFontInstance	7-59
Manipulating Font Features	7-60
GXCountFontFeatures	7-60
GXGetFontFeature	7-61
GXFindFontFeature	7-62

Advanced Font Functions	7-63
Adding, Removing, and Flattening Fonts	7-63
GXNewFont	7-64
GXDisposeFont	7-65
GXFlattenFont	7-65
Getting and Setting Basic Font Storage Information	7-66
GXGetFont	7-67
GXFindFont	7-67
GXSetFont	7-68
GXGetFontFormat	7-69
Manipulating Font Tables	7-70
GXCountFontTables	7-70
GXGetFontTable	7-71
GXGetFontTableParts	7-72
GXFindFontTable	7-73
GXFindFontTableParts	7-74
GXSetFontTable	7-75
GXSetFontTableParts	7-76
GXDeleteFontTable	7-77
Changing Font Data	7-78
GXChangedFont	7-78
Summary of Font Objects	7-79

