

Layout Styles

Contents

About Layout Styles	8-3
Style-Object Properties Used by Layout Shapes	8-4
Run Controls	8-5
With-Stream Shift and Cross-Stream Shift	8-6
With-Stream Kerning and Cross-Stream Kerning	8-8
Tracking	8-10
Optical Alignment	8-11
Hanging Glyphs	8-14
Imposed Width	8-15
Kerning Adjustments	8-16
Glyph Substitutions	8-18
Font Features	8-18
Feature Types, Feature Selectors, and the Feature Registry	8-19
Contextual Font Features	8-22
Noncontextual Font Features	8-34
Using Layout Styles	8-40
Initializing Style-Run Properties	8-41
Manipulating Run Controls	8-42
Using With-Stream and Cross-Stream Shift	8-42
Specifying Tracking Values	8-44
Preventing Optical Alignment	8-45
Inhibiting Hanging Glyphs	8-47
Imposing a Width on a Style Run	8-48
Using Kerning Adjustment Factors	8-49
Substituting Glyphs	8-51
Using Font Features	8-53
Specifying Levels of Ligature Formation	8-53
Specifying Different Types of Swashes	8-54
Specifying Different Kinds of Case Substitution	8-56
Layout Styles Reference	8-57

Constants and Data Types	8-57
Run Controls Structure	8-57
Run Control Flags	8-60
Direction Overrides	8-62
Kerning Adjustment Factors Structure	8-63
Kerning Adjustment Structure	8-63
Glyph Substitution Structure	8-64
Run-Feature Structure	8-65
Functions	8-66
Getting and Setting Run Controls	8-66
GXGetStyleRunControls	8-66
GXSetStyleRunControls	8-67
GXGetShapeRunControls	8-68
GXSetShapeRunControls	8-69
Customizing Kerning	8-70
GXGetStyleRunKerningAdjustments	8-70
GXSetStyleRunKerningAdjustments	8-72
GXGetShapeRunKerningAdjustments	8-73
GXSetShapeRunKerningAdjustments	8-74
Customizing Glyph Substitution	8-75
GXGetStyleRunGlyphSubstitutions	8-75
GXSetStyleRunGlyphSubstitutions	8-77
GXGetShapeRunGlyphSubstitutions	8-78
GXSetShapeRunGlyphSubstitutions	8-79
Customizing Font Features	8-80
GXGetStyleRunFeatures	8-80
GXSetStyleRunFeatures	8-82
GXGetShapeRunFeatures	8-83
GXSetShapeRunFeatures	8-84
Summary of Layout Styles	8-86
Constants and Data Types	8-86
Functions	8-87