

Contents

Figures, Tables, and Listings xiii

Preface

About this Book

What to Read	xxi
Chapter Organization	xxiii
Conventions Used in This Book	xxiii
Special Fonts	xxiii
Types of Notes	xxiv
Numerical Formats	xxiv
Type Definitions for Enumerations	xxiv
Illustrations	xxv
Development Environment	xxv
Developer Products and Support	xxv

Chapter 1

Introduction to QuickDraw GX Typography 1-1

Typography and QuickDraw GX	1-3
Characters, Glyphs, and Fonts	1-4
Encodings	1-5
Text Storage	1-7
Text Measurements	1-8
Typestyles	1-10
Font Variations and Instances	1-10
Text Faces	1-11
Laying Out Text	1-11
Text Direction and Baselines	1-12
Leading Edges and Trailing Edges	1-13
Baselines	1-13
Text Runs, Style Runs, and Direction Runs	1-15
Contextual Forms and Ligatures	1-16
Alignment and Justification	1-17
Kerning and Tracking	1-18
Special Font Features	1-19
Line Breaking	1-20
Drawing, Highlighting, and Hit-Testing Text	1-21
Caret	1-21
Highlighting	1-23
Hit-Testing	1-23

About Typographic Shapes	2-3
Types of Typographic Shapes	2-3
Typographic Shape Structure	2-5
Typographic Shape Attributes	2-6
Default Characteristics of a Typographic Shape	2-6
Typographic Shapes and the Style Object	2-7
The Standard and Typographic Bounding Rectangles	2-7
Using Typographic Shapes	2-8
Positioning Typographic Shapes	2-8
Hit-Testing Typographic Shapes	2-9
Using GXHitTestShape	2-9
Using GXHitTestLayout	2-10
Measuring Typographic Shapes	2-10
Getting the Area of a Typographic Shape	2-10
Getting and Setting the Standard Bounding Rectangle	2-11
Getting the Font Measurements From a Typographic Shape	2-11
Getting the Typographic Bounding Rectangle	2-11
Editing Typographic Shapes	2-12
Converting Typographic Shapes	2-12
Converting a Typographic Shape to Its Primitive Form	2-12
Converting Typographic Shapes to Other Shape Types	2-12
Inserting Part of a Typographic Shape Into Another Shape	2-14
Flattening Typographic Shapes	2-15
Applying Functions Described Elsewhere to	
Typographic Shapes	2-16
Shape-Related Functions	2-16
Style-Related Functions	2-20
Ink- and Color-Related Functions	2-20
Transform- and View-Related Functions	2-20
Typographic Shapes Reference	2-20
Constants and Data Types	2-21
Shape Attributes	2-22
Shape Parts	2-23
Functions	2-24
Measuring Typographic Shapes	2-24
Summary of Typographic Shapes	2-27
Constants and Data Types	2-27
Functions	2-28

About Text Shapes	3-3
The Geometry of a Text Shape	3-3
The Default Text Shape	3-4

The Text Shape and Styles	3-4
Using Text Shapes	3-5
Creating and Drawing a Text Shape	3-5
Changing Text in a Text Shape	3-6
Text Shapes Reference	3-8
Functions	3-8
Creating and Drawing Text Shapes	3-8
Manipulating Geometries of Text Shapes	3-10
Summary of Text Shapes	3-16
Functions	3-16

Chapter 4

Glyph Shapes 4-1

About Glyph Shapes	4-3
The Geometry of a Glyph Shape	4-3
The Positions and Advance Bits Arrays	4-5
The Tangents Array	4-6
The Style Runs and Style List	4-8
The Default Glyph Shape	4-10
Using Glyph Shapes	4-10
Creating and Drawing a Glyph Shape	4-10
Getting Information From a Glyph Shape	4-12
Changing Parts of a Glyph Shape	4-13
Changing Text in a Glyph Shape	4-13
Changing the Style List and Style Runs Array	4-15
Positioning a Glyph Shape	4-16
Setting the Tangents Arrays	4-18
Glyph Shapes Reference	4-21
Functions	4-21
Creating and Drawing Glyph Shapes	4-22
Getting and Setting the Properties of Glyph Shapes	4-25
Summary of Glyph Shapes	4-37
Functions	4-37

Chapter 5

Layout Shapes 5-1

About Layout Shapes	5-3
Properties of the Layout Shape	5-4
Runs in a Layout Shape	5-5
Text Runs	5-6
Style Runs	5-7
Direction-Level Runs	5-9
Layout Options	5-10
Width	5-10

Alignment	5-11
Justification	5-13
Baselines	5-16
Flags	5-16
The Default Layout Shape	5-17
Using Layout Shapes	5-17
Creating and Drawing a Layout Shape	5-17
Creating a Layout Shape With Multiple Style Runs	5-18
Positioning a Layout Shape	5-20
Changing Parts of an Existing Layout Shape	5-20
Changing Text in a Layout Shape	5-21
Inserting a Typographic Shape Into a Layout Shape	5-22
Extracting a Layout Shape From Part of an Existing Layout Shape	5-23
Setting Layout Options	5-24
Setting the Width of a Layout Shape	5-24
Setting the Alignment of a Layout Shape	5-24
Justifying Text in a Layout Shape	5-26
Getting Glyph Information From a Layout Shape	5-27
Converting a Layout Shape Into a Glyph Shape	5-27
Layout Shapes Reference	5-28
Constants and Data Types	5-28
Layout Options Structure	5-29
Layout Options Flags	5-30
Functions	5-30
Creating and Drawing Layout Shapes	5-30
Getting and Setting the Geometry of a Layout Shape	5-34
Getting and Setting Portions of a Layout Shape's Geometry	5-38
Extracting or Inserting Parts of a Layout Shape	5-42
Obtaining Glyph Information From a Layout Shape	5-45
Summary of Layout Shapes	5-48
Constants and Data Types	5-48
Layout Shape Functions	5-48

Chapter 6	Typographic Styles	6-1
-----------	---------------------------	-----

About Typographic Styles	6-3
Style Properties Associated With Typographic Shapes	6-3
Font	6-5
Text Face	6-5
Text Size	6-10
Alignment	6-11
Font Variations	6-13
Font Metrics	6-14
Encoding	6-14
Text Attributes	6-14
Typographic Properties of the Default Style Object	6-16

Using Typographic Styles	6-17
Creating Text Faces	6-17
Setting the Advance Mapping	6-18
Setting a Face Layer	6-19
Setting the Layer Flags	6-23
Setting Text Attributes	6-25
Setting the Automatic Text Advance Attribute	6-25
Setting the No Contour Grid Attribute	6-27
Setting the Vertical Text Attribute	6-29
Applying Patterns and Dashes to Text Faces	6-32
Creating Unusual Effects With Text Faces	6-33
Typographic Styles Reference	6-35
Constants and Data Types	6-35
Text Face	6-36
Face Layers	6-36
Layer Flags	6-37
Alignment Values	6-38
Text Attributes	6-38
Functions	6-39
Getting and Setting the Font of a Style Object	6-39
Getting and Setting the Text Face	6-42
Getting and Setting the Text Size of a Style Object	6-46
Getting and Setting the Alignment of a Style Object	6-48
Getting and Setting the Font Variations of a Style Object	6-51
Retrieving the Elements in a Font Variation Suite	6-55
Retrieving Font Metrics	6-57
Getting and Setting the Encoding of a Style Object	6-61
Getting and Setting the Text Attributes of a Style Object	6-65
Summary of Typographic Styles	6-69
Constants and Data Types	6-69
Functions	6-70

Chapter 7

Font Objects 7-1

About Font Objects	7-5
Font Object Properties	7-5
Names	7-6
Encodings	7-7
Font Descriptors	7-9
Font Variations	7-10
Font Instances	7-11
Font Features	7-12
QuickDraw GX Font Formats	7-12
How Font Objects Are Stored and Referenced	7-13
Font Attributes	7-14
Font Embedding	7-14

Font Tables	7-14	
The List of Available Fonts	7-15	
The Default Font	7-15	
Using Font Objects	7-15	
Getting Information About Available Fonts	7-15	
Drawing With a Specific Font	7-17	
Gaining Access to Font Properties	7-17	
Getting a Font Name	7-17	
Adding a Font Instance	7-18	
Retrieving Font Features	7-19	
Determining Font Variations	7-20	
Retrieving Language-Specific Font Lists	7-20	
Manipulating Font Tables	7-21	
Font Objects Reference	7-21	
Basic Constants and Data Types	7-22	
The Font Object	7-22	
Font Variations, Instances, and Descriptors	7-22	
Font Names	7-23	
Font Features	7-24	
Font Platforms	7-25	
QuickDraw GX Macintosh Scripts	7-26	
Languages	7-28	
Advanced Constants and Data Types	7-31	
Font Storage Tags	7-31	
Font Table Tags	7-32	
Font Attributes	7-32	
Basic Font Functions	7-32	
Getting the List of Available Fonts	7-33	
Counting Glyphs in a Font	7-34	
Getting and Setting the Default Font	7-35	
Manipulating Font Names	7-37	
Manipulating Font Encodings	7-43	
Manipulating Font Descriptors	7-48	
Manipulating Font Variations	7-53	
Manipulating Font Instances	7-56	
Manipulating Font Features	7-60	
Advanced Font Functions	7-63	
Adding, Removing, and Flattening Fonts	7-63	
Getting and Setting Basic Font Storage Information	7-66	
Manipulating Font Tables	7-70	
Changing Font Data	7-78	
Summary of Font Objects	7-79	
Basic Constants and Data Types	7-79	
Advanced Constants and Data Types	7-85	
Basic Font Functions	7-85	
Advanced Font Functions	7-87	

About Layout Styles	8-3
Style-Object Properties Used by Layout Shapes	8-4
Run Controls	8-5
With-Stream Shift and Cross-Stream Shift	8-6
With-Stream Kerning and Cross-Stream Kerning	8-8
Tracking	8-10
Optical Alignment	8-11
Hanging Glyphs	8-14
Imposed Width	8-15
Kerning Adjustments	8-16
Glyph Substitutions	8-18
Font Features	8-18
Feature Types, Feature Selectors, and the Feature Registry	8-19
Contextual Font Features	8-22
Noncontextual Font Features	8-34
Using Layout Styles	8-40
Initializing Style-Run Properties	8-41
Manipulating Run Controls	8-42
Using With-Stream and Cross-Stream Shift	8-42
Specifying Tracking Values	8-44
Preventing Optical Alignment	8-45
Inhibiting Hanging Glyphs	8-47
Imposing a Width on a Style Run	8-48
Using Kerning Adjustment Factors	8-49
Substituting Glyphs	8-51
Using Font Features	8-53
Specifying Levels of Ligature Formation	8-53
Specifying Different Types of Swashes	8-54
Specifying Different Kinds of Case Substitution	8-56
Layout Styles Reference	8-57
Constants and Data Types	8-57
Run Controls Structure	8-57
Run Control Flags	8-60
Direction Overrides	8-62
Kerning Adjustment Factors Structure	8-63
Kerning Adjustment Structure	8-63
Glyph Substitution Structure	8-64
Run-Feature Structure	8-65
Functions	8-66
Getting and Setting Run Controls	8-66
Customizing Kerning	8-70
Customizing Glyph Substitution	8-75
Customizing Font Features	8-80

Summary of Layout Styles	8-86
Constants and Data Types	8-86
Functions	8-87

Chapter 9

Layout Line Control 9-1

About Line Control and Line Measurement for Layout Shapes	9-3
Baselines	9-4
Baseline Types	9-4
Font and Application Control Over Baselines	9-5
Alignment of Multiple Baselines	9-6
Baselines for Vertical Text	9-8
Line Measurement	9-10
Line Length	9-10
Line Span	9-11
Line Breaking	9-11
Text Direction	9-13
Glyph Direction	9-13
Dominant Direction	9-15
The Levels Array of the Layout Shape Object	9-17
Forced Reordering With Nested Direction Levels	9-19
Justification	9-21
The Justification Model	9-21
Justification Properties of the Shape Object and Style Object	9-24
Priority Justification Override	9-26
Glyph Justification Overrides	9-26
Using Line Control and Line Measurement	
With Layout Shapes	9-27
Setting Baselines	9-27
Drawing Vertical Text	9-30
Determining Line Lengths	9-32
Determining Line Spans	9-33
Breaking Lines	9-33
Using Macintosh WorldScript for Line Breaking	9-37
Manipulating Nested Direction Levels	9-38
Overriding the Glyph Direction in a Style Run	9-42
Justifying Lines by Stretching and Shrinking	9-43
Displaying Partial Justification	9-46
Justification With White Space	9-46
Justification With Kashidas	9-48
Justification With Glyph Deformation	9-50
Justification and Ligature Decomposition	9-50
Changing the Behavior of Justification Priorities	9-51
Changing Justification Behavior of Individual Glyphs	9-55

Layout Line Control Reference	9-58
Constants and Data Types	9-58
Baseline Types	9-58
Baseline Deltas Array	9-59
Baseline Structure	9-59
Justification Priorities	9-60
Width Delta Structure	9-61
Justification Flags	9-62
Priority Justification Override Structure	9-63
Glyph Justification Override Structure	9-64
Functions	9-65
Manipulating Baselines	9-66
Measuring Line Span	9-67
Breaking Lines	9-69
Overriding the Behaviors of Justification Priorities	9-73
Overriding the Justification Behaviors of Individual Glyphs	9-78
Summary of Layout Line Control	9-84
Constants and Data Types	9-84
Functions	9-86

Chapter 10	Layout Carets, Highlighting, and Hit-Testing	10-1
------------	---	------

About Carets, Highlighting, and Hit-Testing	
for Layout Shapes	10-3
Positioning in Source Text and Display Text	10-3
Caret Handling	10-6
Straight and Angled Carets	10-7
Split and Single Carets	10-8
Caret Position and Split Ligatures	10-10
Arrow Keys and Caret Movement	10-11
Highlighting	10-13
Visually Discontiguous and Contiguous Highlighting	10-14
Caret Angle and Tiled Highlighting	10-15
Hit-Testing	10-16
Using Carets, Highlighting, and Hit-Testing	
With Layout Shapes	10-18
Drawing Carets	10-18
Getting the Caret Shape	10-19
Drawing the Cursor at the Correct Angle Within a Given Area	10-22
Positioning the Caret in Response to Arrow Keypresses	10-22
Positioning the Caret Within Ligatures	10-24
Drawing Highlighting	10-25
Highlighting Discontiguously in Mixed-Direction Text	10-26
Highlighting Contiguously in Mixed-Direction Text	10-27
Providing Dynamic Highlighting	10-28

Performing Hit-Testing	10-28
Layout Hit Info Structure	10-29
Mouse Tracking Area	10-30
Sample Hit-Test Function	10-30
Analyzing Glyphs	10-33
Determining the Direction of a Glyph	10-33
Determining the Offsets for Each Edge of a Ligature	10-33
Finding the Equivalent Glyphs to an Offset in the Source Text	10-34
Finding the Equivalent Offset to a Glyph in the Display Text	10-37
Layout Carets, Highlighting, and Hit-Testing Reference	10-40
Constants and Data Types	10-40
Highlighting Type	10-41
Caret Type	10-41
Layout Offset State	10-42
Layout Hit Info Structure	10-43
Functions	10-44
Manipulating Carets in a Layout Shape	10-44
Highlighting in a Layout Shape	10-49
Hit-Testing in a Layout Shape	10-54
Converting Between Glyphs and Characters in a Layout Shape	10-56
Summary of Layout Carets, Highlighting, and Hit-Testing	10-61
Constants and Data Types	10-61
Functions	10-62

Glossary GL-1

Index IN-1
