

MacintoshTM

Information Addendum




Macintosh® Using the International Control Panel

If you travel from country to country, you can use the International Control Panel to set formats and sorting criteria appropriate for the country you are in.

1. In the Date, Time, and Number Formats box, select the name of the country you want.

For each country identified, the International Control Panel provides the customary settings for all of these formats:

- ☐ Dates (Day-Month-Year, Month-Day-Year, or Year-Month-Day)
- ☐ Separators between the day, the month, and the year in a date
- ☐ Names of days of the week and months
- ☐ Indicators to differentiate between the first 12 hours and the last 12 hours in a day (for example, a.m. and p.m.)
- ☐ Time of day by a 24-hour clock
- ☐ Punctuation for decimals (decimal point or comma)
- ☐ Thousands separators (comma or apostrophe)
- ☐ Separators between hours and minutes
- ☐ Symbols for currency (for example, \$ and £) as well as the customary position of the symbol
- ☐ Negative numbers
- ☐ Linear measurement in inches or metric
- ☐ List separators (for example, commas or semicolons)



International Control Panel

2. In the **Sorting Order** box, select the name of the country that uses the sorting order you want.

The sorting order you select determines how your Macintosh applications will sort lists and databases alphabetically.

Many countries use the standard 26-character alphabet. If that's what you want, select US from the list. Other countries (such as Norway and Germany) have special characters and customarily use a different sorting order.

3. After you close the **Control Panel**, choose **Restart** from the **Special** menu.

In order for the new formats to take effect, you must restart your Macintosh.



Macintosh® Using System Software 6.0 with No Hard Disk

In an effort to meet the needs of Macintosh users who don't have a hard disk, Apple has provided scaled-down versions of the System file. This small System file it takes up less space on a startup disk and leaves more room for applications or data.

- ❖ *Note:* If you install the small System file, the startup disk you create will only work on one kind of Macintosh. In other words, if you install the Macintosh Plus resources, you cannot use the same startup disk on a Macintosh SE or Macintosh II.

If you have two 3.5-inch disk drives

On the *Macintosh Utilities 1* disk you'll find a folder named Special Installer Scripts and a copy of the Installer application. Use this Installer to create your startup disk. (Do *not* use the Installer that you'll find on the *Macintosh System Tools* disk.)

For instructions, see "Using the Installer" in Chapter 10 of the *Macintosh Utilities User's Guide*.

Printer resources

If you have a printer, you will need to install the necessary printer resources so that your printer will work with system software version 6.0. The printer resources are all contained on the *Macintosh Printing Tools* disk.

1. With your startup disk in one disk drive, insert *Macintosh Printing Tools* into the other disk drive.
2. Open the Printing Tools icon and select the appropriate printing resources.
 - ☐ If you have a LaserWriter, select LaserWriter and Laser Prep.
 - ☐ If you have an ImageWriter or ImageWriter II, select the ImageWriter icon. (If you have an AppleTalk card installed in an ImageWriter II, you should select AppleTalk ImageWriter.)
 - ☐ If you have a LaserWriter IIsc, select LaserWriter IIsc.
 - ☐ If you have an ImageWriter LQ, select the LQ ImageWriter icon. (If you have an AppleTalk card installed in your ImageWriter LQ, select LQ AppleTalk ImageWriter.)
3. Drag the selected icon (or icons) to the System Folder on your startup disk.

You have installed the necessary printer resources.

- ❖ *PrintMonitor?* With no hard disk, it is unlikely that background printing will work satisfactorily. There may not be enough space on your startup disk for the necessary spooled files. For this reason, it is not recommended that you drag the PrintMonitor icon to your System Folder.

If you have one 3.5-inch disk drive

With a single 3.5-inch disk drive, using the Installer can require hundreds of disk swaps and take a lot of time. Therefore, it is suggested that you ask your Apple Dealer to assist you in creating a startup disk. Tell the dealer you want to use the Installer on the *Macintosh Utilities 1* disk to create a small System Folder. As an alternative, you might be able to borrow an external 800K disk drive from a friend.

For instructions, see "Using the Installer" in Chapter 10 of the *Macintosh Utilities User's Guide*.

Printer resources

If you have a printer, you will need to install the necessary printer resources so that your printer will work with system software version 6.0. The printer resources are all contained on the *Macintosh Printing Tools* disk.

1. Start the Macintosh from your startup disk in one disk drive and make sure the directory window for the disk is open.
2. Choose the Eject command from the File menu to eject the startup disk.
3. Insert the *Macintosh Printing Tools* disk, open it, and select the appropriate printing resources.
 - ☐ If you have a LaserWriter, select LaserWriter and Laser Prep.
 - ☐ If you have an ImageWriter or ImageWriter II, select the ImageWriter icon. (If you have an AppleTalk card installed in an ImageWriter II, you should select AppleTalk ImageWriter.)
 - ☐ If you have a LaserWriter IIsc, select LaserWriter IIsc.
 - ☐ If you have an ImageWriter LQ, select the LQ ImageWriter icon. (If you have an AppleTalk card installed in your ImageWriter LQ, select LQ AppleTalk ImageWriter.)
4. Drag the selected icon (or icons) to the System Folder on your startup disk.

Because you ejected the startup disk in step 2, the System Folder will be dimmed. As soon as you release the icon (or icons), you'll see a message telling you to insert the startup disk. As the Macintosh copies the printer resources from one disk to the other, you will have to swap disks several times before the process is complete.

You have installed the necessary printer resources.

- ❖ **PrintMonitor?** With a single disk drive, you will not be able to use background printing. For this reason, it is not recommended that you drag the PrintMonitor icon to your System Folder.

Items you may want to remove from your startup disk

System software version 6.0 contains some files you are not likely to need. If you find them in your System Folder and remove them, you will reclaim space you can use for other purposes.

- ☐ Backgrounder (required only for background printing with MultiFinder)
- ☐ Color (for a Macintosh II with color monitor)
- ☐ DA Handler (required only if you use MultiFinder)
- ☐ Easy Access (for people who have difficulty typing with two hands)
- ☐ Monitors (for a Macintosh II)
- ☐ MultiFinder (useless on a one-drive system; of limited use with two drives)
- ☐ PrintMonitor (required only for background printing with MultiFinder)
- ☐ Sound (for a Macintosh SE or Macintosh II)
- ☐ Startup Device (for a Macintosh SE or Macintosh II)

For details about the sizes of these files, see Appendix A, "A History of Macintosh System Software," in the *Macintosh System Software User's Guide*.

